

LIST OF GENERIC TERMS PROPOSED FOR BIRDS DURING
THE YEARS 1890 TO 1900, INCLUSIVE, TO WHICH ARE
ADDED NAMES OMITTED BY WATERHOUSE IN HIS
"INDEX GENERUM AVIUM."

By CHARLES W. RICHMOND,
Assistant Curator, Division of Birds.

Mr. F. H. Waterhouse's Index Generum Avium, comprising a list of the generic and subgeneric terms proposed in the class Aves from the time of Linnaeus down to the summer of 1889, is a work of much value to the systematic ornithologist, and one of unusual accuracy—every reference, with a half dozen exceptions, having been verified by its author.

The continued activity of workers in this branch of zoology during the past decade, both in the introduction of new names and the resurrection of old and forgotten ones, has rendered necessary the publication of a supplementary list. In compiling such a list the present writer has made use of a card catalogue¹ now in course of preparation in the Division of Birds of the United States National Museum, which contains references to most of the genera and species described in recent years, as well as to many of earlier date.

Out of about 675 names enumerated in the following pages 475 have been instituted as new since the appearance of the Index; the remainder consist of terms overlooked by Waterhouse, or used by him either without proper citation or as homonyms of other genera (e. g., *Piculus*). No effort has been made to swell the list of names omitted in the Index, but the fact that nearly two hundred names² here given were used

¹This card catalogue was begun in 1889 and has been carried along more or less actively since 1893. It now contains over twenty thousand entries, and is intended eventually to contain a reference to every described avian genus and species, including both living and fossil forms. In the case of species the type locality, collector, date, sex, and location of the type specimen are given; on generic cards are indicated the class of data followed in the ensuing list.

²Not including terms based on "bird tracks," of which there are numbers, such as *Amblyx*, *Ancyropus*, *Argozoum*, *Batrachopus*, *Brontozoum*, *Calopus*, *Eubrontes*, *Fulicopus*, *Grallator*, *Harpedactylus*, *Ornithopus*, *Palanopus*, *Platypterna*, *Plectropus*, *Sauropus*, *Sillimanius*, *Steropoides*, *Triacnopus*, *Tridentipes*, and *Typopus*, all proposed by Hitchcock.

prior to 1889, and overlooked in that work, shows that much patient research remains to be done before a complete list of the generic names of birds may be attempted.

In order to enhance the usefulness of the present list the type species of each genus has been added, as well as various cross references of interest. The family in which each genus belongs is indicated, and, it is believed, the differentiation of fossil genera (by means of a †) will also prove of value. To facilitate the finding of genera in any particular family a list of genera arranged alphabetically under families has been appended.

For various names and references, which would otherwise have been overlooked, the writer is under obligations to Drs. L. Stejneger, and T. S. Palmer, and Mr. H. C. Oberholser.

Abbotornis RICHMOND, Proc. U. S. Nat. Mus., XIX, May 13, 1897, p. 692.

New name for *Leptopterus* Bonaparte, 1854 (not *Leptoptera* Boisduval, 1842) ----- [*Laniidae*.]

Named for Dr. W. L. Abbott.

Abeltera HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 351.

New name for *Sula* Brisson, on grounds of purism. -- [*Sulidae*.]
 Ἀβέλτερος, silly, stupid.

Abelterus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 227.

New name for *Eubucco* Bonaparte, on grounds of purism.

[*Capitonidae*.]

Ἀβέλτερος, silly, stupid.

Acmonorhynchus OATES, Fauna of Brit. India (Birds), II, 1890, p. 381.

Type, *Prionochilus vincens* Selater ----- [*Dicidae*.]
 Ἀκμων, anvil; ῥύγχος, bill, beak.

Actia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 329.

New name for *Arquatella* Baird, on grounds of purism.

[*Scolopaciidae*.]

Ἀκτιος, of the seashore.

† **Actiornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 56.

Type, *Actiornis anglicus* Lydekker ----- [*Phalacrocoracidae*.]
 Ἀκτιος, of the seashore; ὄρνις, bird.

Actophilus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Phyllopezus* Sharpe, 1896 (not *Phyllopezus* Peters, 1877) ----- [*Jacaniidae*.]

Ἀκτῆ, beach; φιλέω, I love.

- Adelonetta** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 346.
 New name for *Puffinetta* Bonaparte, on grounds of purism. [Anatida.]
- ἄδηλος, unknown, obscure; *νήττα*, a duck.
- Aegialodes** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 327.
 New name for *Gambetta* Kaup, on grounds of purism. [Scotopaciada.]
- Ἀγιάλωδος, found on or near the shore.
- † **Ægialornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 183.
 Type, *Ægialornis gallicus* Lydekker. [Ægialornithida.]
- Ἀγιάλωδος, beach, seashore; ὄρνις, bird.
- Aerocharis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Euryceros* Lesson. [Prionopida.]
- ἄηρ, air; χάρις, grace.
- Æronautes** HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 459.
 Type, *Cypselus melanoleucus* Baird. [Micropodida.]
- ἄηρ, air; ναύτης, a sailor.
- Æthiopsar** SHARPE MS., OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 539.
 Type, *Pastor fuscus* Wagler. [Sturnida.]
 (A subgenus of *Aceridotheres*.)
- Ἄιθιοψ, an Æthiop, a negro; ψάρ, starling.
- Agriocharis** CHAPMAN, Bull. Amer. Mus. Nat. Hist., VIII, Dec. 11, 1896, p. 288.
 Type, *Melagrís ocellata* Cuvier. [Phasianida.]
- ἄγριος, wild; χάρις, grace.
- Agropsar** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 530.
 Type, *Gracula sturnia* Pallas. [Sturnida.]
- ἄγρός, field; ψάρ, starling.
- Alcatras** HERMANN, Tabula Affin. Anim., 1783, p. 156, note; p. 235.
 Type, *Alcatraz* (Journ. de Physique, 1779, p. 475). [Incerta sedis.]
- Alcatraz*, a pelican or sea bird (Spanish).
- Aleidius** BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 3), Sept. 1895, p. 345.
 Type, *Orthorhynchus estelle* d'Orbigny. [Trochilida.]
- Named for Aleide Dessalines d'Orbigny.
- Aleator** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
 New name for *Pogonias* Illiger. [Capitonida.]
- Alector** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 384.
 New name for *Gallus* Brisson. [Phasianida.]

- Alectromorphnus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 271.
New name for *Buteogallus* Lesson, on grounds of purism. [Falconidae.]
ἄλεκτρομόρνον, a cock; μόρφνος, dark, like an eagle, hence an eagle.
- Allenia** CORY, Auk, VIII, Jan., 1891, p. 42.
Type, *Turdus montanus* Lafresnaye [Mimidae.]
Named for Dr. J. A. Allen.
- Allocotops** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 389.
Type, *Allocotops calvus* Sharpe [Timaliidae.]
ἄλλόκοτος, unusual; ὄψ, face.
- Alopecænas** FINSCH MS., SHARPE, Hand-list of Birds, I, 1899, p. 90.
Type, *Phlogothraupis hoodti* Schlegel [Peristeridae.]
ἄλωπηξ, a fox; οἰνάς, wild pigeon.
- Alophoixus** OATES, Fauna of Brit. India (Birds) I, Dec., 1889, p. 259.
Type, *Leus phæcephalus* Hartlaub [Timaliidae.]
ἄλοφος, without a crest; + *Leus* (ἰξός, sticky, also a miserly fellow).
- Alopochen** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 141.
New name for *Chenaloper* Stephens, preoccupied [Anatidae.]
ἄλωπος, fox-colored; χήν, a goose.
- Alticeps** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
New name for *Cephalopterus* Geoffroy St.-Hilaire [Cotingidae.]
Altus, high; *ceps* (*caput*), head.
- Amalocichla** DE VIS, Ann. Report Brit. New Guinea (1890-91), 1892, App. CC, p. 95.
Type, *Amalocichla sclateriana* De Vis [Timaliidae.]
ἄμαλός, soft, feeble; κίχλη, a thrush-like bird.
- Amaurocichla** SHARPE, Proc. Zool. Soc. Lond., Aug., 1892, p. 228.
Type, *Amaurocichla bocagii* Sharpe [Timaliidae.]
ἄμαυρός, dark; κίχλη, a thrush, or thrush-like bird.
- Amaurenas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.
Type, *Columba polleni* Schlegel [Columbidae.]
(A subgenus of *Columba*).
ἄμαυρός, dark; οἰνάς, a wild pigeon.
- Amaurolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan 26, 1893, p. xxviii.
Type, *Rallus concolor* Gosse [Rallidae.]
ἄμαυρός, dark; λιμνάς (λιμναῖος), marshy, of the water.
- Amazilia** LESSON, L'Écho du Monde Savant, ser. 2, VIII, No. 32, Oct. 22, 1843, col. 757.
Type¹ [Trochilidae.]
Amazilia, a heroine of the Incas.

¹Proposed as a "race" or subgenus of *Ornismya*, with the following species: *O. lumachella* Lesson, *O. eximia* Delattre, *O. cinnamomea* Lesson, *O. clarisse* Longuemare.

†**Ameghinia** SHARPE, Hand-list of Birds, I, 1899, p. 184.

New name for *Pseudolarus* Ameghino, on grounds of purism!

[*Stercorithes*.]

Named for Dr. Florentino Ameghino.

Amnicola GERBE, in Degland and Gerbe, Ornith. Européenne, I, 1867, p. 526.

Type, *Sylvia melanorogon* Temminck [*Turdida*.]

Amnis, a stream, river; *icola*, an inhabitant.

†**Amphipelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 68.

Type, *Amphipelargus majori* Lydekker [*Ciconiida*.]

Ἀμφί, on both sides; *πελαργός*, a stork.

Amytornis STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 499.

New name for *Amytis* Lesson, preoccupied [*Timaliida*.]

Amytis ("Ἀμυτίς), a daughter of Astyages; *ὄρνις*.

Anacrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, X.

New name for *Paradoxornis* Gould [*Paridae?*]

Ἄνα, + *κριτής*, a judge, umpire.

Androphilus SHARPE, Ibis, ser. 5, VI, Oct. 1888, p. 390.

Type, *Androphilus accentor* Sharpe [*Timaliida*.]

Ἀνήρ (ἄνδρ-), a man; *φιλέω*, I love.

†**Anisolornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.

Type, *Anisolornis excavatus* Ameghino [*Stercorithes*.]

Ἄνισος, unequal; *ὅλος*, whole, entire; *ὄρνις*, bird.

Anomalophrys SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 156.

Type, *Lobivanellus superciliosus* Reichenow [*Charadriida*.]

Ἀνώμαλος, unusual; *ὄφρῦς*, brow, eyebrow.

†**Anomalornis** HUTTON, Trans. New Zealand Inst., XXIX, June, 1897, p. 546.

New name for *Anomalopteryx* Reichenbach, preoccupied.

[*Dinornithida*.]

Ἀνώμαλος, unusual; *ὄρνις*, bird.

Anopaia HALDEMAN, Proc. Acad. Nat. Sci. Phila., I, 1842, p. 188.

New name for "*Harpyia* Cuvier" (= *Harpia* Vieillot), preoccupied [*Falconida*.]

Ἀνοπαία, unnoticed.

Antichromus RICHMOND, Auk, XVI, Apr., 1899, p. 187.

New name for *Bocagia* Shelley, preoccupied [*Laniida*.]

Ἄντι, against, opposite to; *χρῶμα*, color.

Antrochelidon BALDAMUS, Journ. für Orn., Nov., 1869, p. 406.

Type, *Hirundo uigricans* Vieillot [*Hirundinida*.]

Ἄντρον, a cavern; *χελιδών*, swallow.

Anurolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Porzana castaneiceps* Selater and Salvin [*Rallida*.]

Ἄν, without; *οὐρά*, tail; *λιμνάς* (λιμναῖος), marshy, of the mere.

- Aphanolimnas** SHARPE, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xx.
 New name for *Kittlitzia* Hartlaub, preoccupied [Rallidae.]
 'Αφανίης, unseen, obscure; λιμνάς (λιμναῖος), marshy, from the mere.
- Aphelocephala** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 214.
 New name for *Xerophila* Gould, preoccupied [Paridae.]
 'Αφελίης, smooth; κεφαλή, head.
- Aphrastura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 211.
 New name for *Oxyurus* Swainson, preoccupied . . [Furnariidae.]
 "Αφραστός, wonderful; οὐρά, tail.
- Araclanga** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 193.
 New name for *Ara* Brisson, on grounds of purism. [Psittacidae.]
 'Αρά (*Ara*); κλαγγή, screaming.
- Aramidopsis** SHARPE, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.
 Type, *Rallus plateni* Blasius [Rallidae.]
Aramidēs, + ὄφτις, appearance.
- † **Archaeotrogon** MILNE-EDWARDS, Comptes-Rendu Second Congrès Ornith. Int., II, 1892, p. 64.
 Type, *Archaeotrogon venustus* Milne-Edwards [Trogonidae.]
 'Αρχαῖος, ancient; + Trogon.
- † **Ardeacites** HAUSHALTER, Murkwürdige fossile Thierüberreste aus der Algäuer Molasse, 1855, p. 11.
 Type, *Ardeacites molassicus* Haushalter [Ardeidae.]
Ardea, a heron, + ἴτες.
- Areortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 290.
 New name for *Arctornis* Bonaparte, on grounds of purism. [Turnicidae.]
- † **Argillornis** OWEN, Quart. Journ. Geol. Soc., XXXIV, Jan., 1878, p. 124.
 Type, *Argillornis longipennis* Owen [Phalacrocoracidae.]
 "Αργίλλος, white clay, chalk; ὄρνις, bird.
- Arinia** MULSANT, "Ann. Soc. Linn. Lyon, 1877, Oct. 12" [exists as a separate paper only].
 Type, *Arinia boucardi* Mulsant [Trochilidae.]
- Arquata** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. 92.
 New name for *Numida* Linnaeus [Phasianidae.]
- Arremonops** RIDGWAY, Manual N. A. Birds, ed. 2, Apr., 1896, p. 605.
 Type, *Embernagra rufivirgata* Lawrence [Fringillidae.]
Arremon (ἀρρήμων, silent); + ὄψ.
- Asarcia** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 86.
 Type, *Parra variabilis* Linnaeus [Jacanidae.]
 "Ασαρκος, without flesh, lean.

- Asarcornis** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 59.
 Type, *Anas scutulata* S. Müller [*Anatida.*]
 " *Ἀσαρκος*, lean; ὄρνις, bird.
- Ascalaphia** ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 4.
 Type, *Ascalaphia savignii* Isid. Geoffroy St.-Hilaire.
 [*Bubonida.*]
- " *Ἀσκάλαφος*, a bird supposed to be an owl.
- Aspatha** SHARPE, Catal. Birds Brit. Mus., XVIII, 1892, p. 331.
 Type, *Prionites gularis* Lafresnaye [*Momotida.*]
 " *Ἀ*, without: *σπάθη*, a blade.
- † **Asthenopterus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 443.
 New name for *Lagopterus* Moreno and Mercerat, preoccupied.
 [*Falconida.*]
- " *Ἀσθενής*, weak: *πτερόν*, wing.
- Atalochrous** ELLIOT, Ibis, ser. 3, VI, Oct., 1876, p. 464.
 Type, *Mulimbus rachelia* Cassin [*Ploccida.*]
 (A subgenus of *Mulimbus*.)
- " *Ἀταλός*, tender, delicate: *χρῶς*, color.
- Atopornis** REICHENOW and NEUMANN, Ornith. Monatsb., III, May, 1895, p. 74.
 Type, *Atopornis* [= *Nigríta*] *diabolicus* Reichenow and Neumann [*Muscicapida* (= *Ploccida*).]
 " *Ἀτοπος*, unusual, out of place; ὄρνις, bird.
- † **Badiostes** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 600.
 Type, *Badiostes patagonicus* Ameghino [*Strigida.*]
- † **Barornis** MARSH, Amer. Journ. Sci., ser. 3, XLVIII, Oct., 1894, p. 344.
 Type, *Barornis regens* Marsh [*Incerta sedis.*]
Βαρύς, heavy; ὄρνις, bird.
- Bathmysyrma** REICHENOW, Ornith. Monatsb., V, Oct., 1897, p. 161.
 Type, *Bathmysyrma rufum* Reichenow [*Muscicapida.*]
Βαθμός, a step; *σύρμα*, a trailing robe, something trailed along.
- Bathmocercus** REICHENOW, Ornith. Monatsb., III, July, 1895, p. 113.
 Type, *Bathmocercus rufus* Reichenow [*Timaliida.*]
Βαθμός, a step; *κέρκος*, tail.
- Bellona** MULSANT and VERREAUX, Mém. Soc. Imp. Sci. Nat. Cherbourg, XII, 1866, p. 219.
 Type, *Trochilus cristatus* Linnaeus [*Trochilida.*]
 Named for Bellona, a goddess of war.
- † **Belornis** MILNE-EDWARDS, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.
 New name for *Tachyornis* Milne-Edwards, preoccupied.
 [*Incerta sedis.*]
- Βέλος*, an arrow, dart; ὄρνις, bird.

Blacops RICHMOND, Auk, XVI, Apr., 1899, p. 186.

New name for *Blax* Reichenow, preoccupied (= *Verreauxia*

Hartlaub) [*Picidae*.]

Blax (βλάξ, lazy); ῥῆψ.

Blax REICHENOW, Ornith. Monatsb., II, Aug., 1894, p. 126.

Type, *Blax gymnophthalmus* Reichenow (see *Blacops*).

[*Capitonidae* (= *Picidae*).]

Βλάξ, lazy, sluggish.

Bleda BONAPARTE, Revue et Mag. de Zool., Feb., 1857, p. 50.

Type, *Dasycephala syndactyla* Swainson [*Timaliidae*.]

Named for Bleda, brother of Attila.

Bocagia SHELLEY, Bull. Brit. Orn. Club, III, May 26, 1894, p. xliii.

Type, *Telephonus minutus* Hartlaub (first species mentioned)

(see *Antichromus*) [*Laniidae*.]

Named for Prof. José Vicente Barboza du Bocage.

Bolbopsittacus SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 503.

Type, *Psittacus lunulatus* Scopoli [*Psittacidae*.]

Βολβός, a bulb; ψίττακος, a parrot.

Bonapartia BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15, 1896,
p. 58.

New name for *Gymnocrotaphus* Büttikofer, preoccupied.

[*Timaliidae*.]

Named for Charles-Lucien-Jules-Laurent Bonaparte.

Bostrycholphus BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15,
1896, p. 58.

New name for *Centrolophus* Büttikofer, preoccupied.

[*Pycnonotidae*.]

Βόστρυχος, a curl; λόφος, crest.

Bowdleria ROTHSCHILD, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.

Type, New Zealand group of *Sphenæacus* [*Timaliidae*.]

Named for Dr. R. Bowdler Sharpe.

Brachycope REICHENOW, Journ. für Ornithologie, April, 1900, p. 249.

Type, *Brachycope anomala* Reichenow [*Ploceidae*.]

Brachypteryx OWEN, Deser. Catal. Osteol. Series Mus. Roy. College of
Surgeons, I, 1853, p. 238.

Type, *Rallus australis* Sparrman [*Rallidae*.]

Brachypus SWAINSON, Zool. Journ., I, Oct., 1824, p. 305.

Type, "Le Curouge" Levaillant (= *Turdus cafer* Linnaeus).

[*Pycnonotidae*.]

Βραχύς, short; πούς, foot.

Brachyrynchus de SELYS-LONGCHAMPS, in Vander Maelen's Dict. Géogr.

Prov. Liège, 1831, Appendice, p. 36.

Type, *Purus caudatus* (= *Mecistura rosea* Blyth) [*Paridae*.]

Βραχύς, short; ῥύγχος, beak.

Brachypiza RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.

Type, *Fringilla capensis* P. L. S. Müller [*Fringillidæ*.]

Βραχύς, short; *σπίζα*, a finch.

Brewsteria MAYNARD, Birds Eastern North Amer., ed. 2, Pt. 40, 1896, p. 691.

Type, *Falco ferrugineus* Lichtenstein [*Falconidæ*.]

Named for Mr. William Brewster.

† **Brontornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 37.

Type, *Brontornis burmeisteri* Moreno and Mercerat.

[*Stercorithes*.]

Βροντή, thunder; *ὄρνις*, bird.

Buleites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.

New name for *Stenorhynchus* Gould [*Mimidæ*.]

Βουλευτής, one who sits in council, a senator.

Calamodromus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 322.

New name for *Rougetius* Bonaparte, on grounds of purism.

[*Rallidæ*.]

Κάλαμος, a reed; *δρόμος*, a course, race.

Calastrapia SHARPE, Monogr. Paradiseidæ. Part VIII, 1898, p. xiii.

Type, *Astrapia splendidissima* Rothschild [*Paradiseidæ*.]

Καλός, beautiful; + *Astrapia* (*ἀστράπιος*, of lightning).

Callaeops GRANT, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xviii.

Type, *Calluops periophthalmica* Grant [*Muscicapidæ*.]

Κάλλαιον, a cock's comb; *ὄψ*, eye.

† **Callornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 574.

Type, *Callornis giganteus* Ameghino [*Stercorithes*.]

Κάλλος, beauty; *ὄρνις*, bird.

Calobamon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 123.

New name for *Pittasoma* Cassin, on grounds of purism.

[*Formicariidæ*.]

Καλός, beautiful; *βᾶμα* (*βῆμα*), a step, pace.

Calopelia SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 522.

Type, *Columba puella* Schlegel [*Peristeridæ*.]

Καλός, beautiful; *πέλεια*, a dove.

Calopezus RIDGWAY, Proc. Biol. Soc. Wash., II, Apr. 10, 1884, p. 97.

New name for *Calodromas* Selater and Salvin, preoccupied.

[*Tinamidæ*.]

Καλός, beautiful; *πεζός*, walking.

Calvifrons DAUDIN, Annales du Mus. d'Hist. Nat., III, 1804, p. 146.

Type, *Chauvard* (= *Corvus calvus* Linnaeus) (see *Perissocephalus*) [*Cotingidæ*.]

Calvus, bald, hairless; *frons*, forehead.

- †**Camaskelus** AYMAR, Congrès Scientifique de France, 1856, I, pp. 233, 267.
 Type, *Camaskelus palustris* Aymard [Charadriiformes.]
 Κάμαξ, a pole, stake; σκέλος, the leg.
- Caprornis** KAUP, in Jardine's Contrib. Orn. for 1849, p. 112 (note).
 Type, *Vultur pileatus* Burchell [Vulturidae.]
- Carnifex** SUNDEVALL, K. Vet.-Akad. Handl. (1835), 1836, p. 78.
 Type, *Ampelis carnifex* Linnæus [Cotingidae.]
Carnifex, a public executioner.
- Cassidix** BONAPARTE, Conspectus Generum Avium, I, 1849, p. 90.
 Type, *Buceros cassidix* Temminck (first species mentioned).
 [Bucerotidae.]
Cassida, cassis, a helmet.
- Castanolimnas** SHARPE, Bull. Brit. Orn. Club., I, Jan. 26, 1893, p. xxviii.
 Type, *Euryzona cunninggi* Blyth [Rallidae.]
 Κάστανος, the chestnut; λιμνάς (λιμναῖος), marshy, from the mere.
- Cataphania** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
 New name for "*Oryptera* Cuvier" [Artamidae.]
 Καταφάνεια, clearness, transparency.
- Cataponera** HARTERT, Novitates Zoologicae, III, Mar. 14, 1896, p. 70.
 Type, *Cataponera turdoides* Hartert [Timaliidae.]
 Καταπονέω, I tire out.
- Centrolophus** BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 230.
 Type, *Brachypus leucogenys* Gray (see *Bostrycholophus*).
 [Pycnonotidae.]
 Κέντρον, spur; λόφος, a crest.
- †**Centrornis** ANDREWS, Ibis, ser. 7, III, July, 1897, p. 344.
 Type, *Centrornis majori* Andrews [Anatidae.]
 Κέντρον, spur, spine; ὄρνις, bird.
- Cerasophila** BINGHAM, Ann. Mag. Nat. Hist., ser. 7, V, no. 28, Apr., 1900, p. 358.
 Type, *Cerasophila thompsoni* Bingham [Pycnonotidae.]
 Κέρασος, a cherry tree; φιλέω, I love.
- Certhiaxis** LESSON, Compl. Œuvres de Buffon (éd. Lévêque), XX, Apr., 1847, p. 287.¹
 Type, *Certhia cinnamomea* Gmelin [Furnariidae.]
Certhia (κέρθιος, a creeper); + [*Synall*] *axis*.

¹This work is usually cited "Descr. mam. et ois.," or "Descr. mam. et ois. réc. découv.," but is correctly quoted as above. It appeared as the last (20th) volume of the Lévêque edition of Buffon, and was published in April, 1847. It was also issued as a separate work, under the title "Description de mammifères et d'oiseaux récemment découverts," etc., with the same ostensible date, and later formed the second part of Tome VII of the Didier edition, in 10 volumes, also bearing date of 1847. All were printed from the same type, the Didier edition even preserving the Lévêque signature marks.

- Cetupa** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 15.
Emendation of *Ketupa* Lesson [*Bubonidae*.]
Ketupa, native name of a Javan owl.
- Chalcopsar** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 158.
New name for *Megalopterus* Smith, preoccupied ... [*Sturnidae*.]
Χαλκός, copper; ψάρ, starling.
- Chelidonaria** REICHENOW, Journ. für Orn., Apr., 1889, p. 187.
Type, *Hirundo urbica* Linnæus [*Hirundinidae*.]
Chelidon (χελιδών, a swallow).
- Chema** REICHENOW, Journ. für Orn., Apr., 1889, p. 188.
Emendation of *Nema* Leach [*Laridae*.]
Χήμη, yawning, gaping.
- †**Chenornis** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 364.
Type, *Chenornis graculoides* Portis [*Anatidae*.]
Χήν, goose; ὄρνις, bird.
- Chersophilus** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 525.
Type, *Alauda duponti* Vieillot [*Alaudidae*.]
Χέρσος, dry land; φιλέω, I love.
- Chlorocharis** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 392.
Type, *Chlorocharis emilie* Sharpe [*Timaliidae*.]
Χλωρός, green; χάρις, grace.
- Chlorodrepanis** PERKINS, in Wilson and Evans, Aves Hawaiienses, Pt. 7, June, 1899, p. xxi.
Type, *Himatione stejnegeri* Wilson (first species mentioned).
[*Drepanidae*.]
Χλωρός, green; + *Drepanis* (δρεπάνη, a sickle).
- †**Chosornis** DE VIS, Proc. Roy. Soc. Queensl., VI, 1889, p. 55.
Type, *Chosornis preteritus* De Vis [*Megapodidae*.]
Χῶσις, heaping up of earth; ὄρνις, bird.
- Chrysomitridops** WILSON, Proc. Zool. Soc. Lond., Apr., 1890, p. 445.
Type, *Chrysomitridops caruleirostris* Wilson [*Drepanidae*.]
Chrysomitris (χρυσομῆτρις, the goldfinch); + ῶψ.
- †**Cimolopteryx** MARSH, Amer. Journ. Science, ser. 3, XXXVIII, July, 1889, p. 83.
Type, *Cimolopteryx rarus* Marsh [*Incertæ sedis*.]
Κιμωλία, white earth, chalk; πτέρυξ, wing.
- Ciridops** "WILSON," A. NEWTON, Nature, XLV, Mar. 17, 1892, p. 469.
Type, *Fringilla anna* Dole [*Drepanidae*.]
[*Emberiza*] ciris; + ῶψ.
- Cirulus** BREDOW, Archiv für Naturgesch., III, Pt. 1, 1837, p. 413.
Type, *Cirulus pratensis* Bredow (= *Sturnella magna meridionalis*) [*Icteridae*.]
- †**Cladornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 584.
Type, *Cladornis pachypus* Ameghino [*Cladornithidae*.]
Κλάδος, branch, or shoot of a tree; ὄρνις, bird.

- Cladurus** REICHENOW, Journ. für Orn., Jan., 1877, p. 17.
 New name for *Xylobucco* Bonaparte [*Capitonidæ*.]
Κλάδος, branch; *ὄβρος*, guard.
- Clamator** KAUP, Naturl. Syst., 1829, p. 53.
 Type, *Cuculus glandarius* Linnæus [*Cuculidæ*.]
- Claravis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.
 New name for *Peristera* Swainson, preoccupied .. [*Peristeridæ*.]
Clarus, clear; *avis*, bird.
- Claudia** HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 469.
 Type, *Cypselus squamatus* Cassin [*Micropodidæ*.]
 Named for Mrs. Ernst Hartert.
- Cleptornis** OUSTALET, Le Naturaliste, ser. 2, III, Nov. 1, 1889, p. 260.
 Type, *Ptilotis marcheii* Oustalet [*Meliphagidæ*.]
Κλέπτω, I steal; *ὄρνις*, bird.
- Clibanus** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
 p. xi.
 New name for *Tanagroides* Bonaparte [*Fringillidæ*.]
Κλίβανος (*κλιβανίτης*, baked under a pot or pan), with reference
 to its tropical habitat?
- Clytospiza** SHELLEY, Birds of Africa, I, 1896, p. 32.
 Type, *Pytelia monteiri* Hartlaub [*Ploceidæ*.]
Κλυτός, famous; *σπιζα*, a finch.
- Cnemophilus** DE VIS, Ann. Report Brit. New Guinea (1888-89), 1890,
 App. G, p. 61.
 Type, *Cnemophilus macgregorii* De Vis [*Ptilonorhynchidæ*.]
Κνημός, slope of a mountain; *φιλέω*, I love.
- Coccyzoenas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
 Orn., 1890, p. 278.
 New name for *Reinwardtana* Bonaparte, on grounds of purism.
 [*Columbidæ*.]
Κόκκυξ, cuckoo; *οινάς*, a wild pigeon.
- Cocornis** TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July, 1895,
 p. 123.
 Type, *Cocornis agassizi* Townsend [*Fringillidæ*.]
Cocos, name of an island; *ὄρνις*, bird.
- Coelotreron** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
 Orn., 1890, p. 275.
 New name for *Palumbæna* Bonaparte, on grounds of purism.
 [*Columbidæ*.]
Κοῖλος, hollow; *τρήρων*, a dove.
- Colinus** GOLDFUSS, Handbuch der Zoologie, II, 1820, p. 220.
 Type, *Tetrao mexicana* Linnæus [*Phasianidæ*.]
- Colymbetes** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
 Orn., 1890, p. 364.
 New name for *Poliocephalus* Selby [*Colymbidæ*.]
Κολυμβητής, a diver, swimmer.

- Compsortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 292.
New name for *Excalfactoria* Bonaparte, on grounds of purism.
[*Phasianida.*]
Κομφός, elegant; *ὄρνυξ*, a quail.
- Compsospiza** BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 207.
Type, *Compsospiza garleppi* Berlepsch [Fringillidae.]
Κομφός, elegant; *σπίζα*, finch.
- Compsotis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 325.
New name for *Afrotis* Bonaparte, on grounds of purism.
[*Otididae.*]
Κομφός, elegant; *ὠτίς*, a bustard.
- † **Coniornis** MARSH, Amer. Journ. Sci., ser. 3, XLV, Jan., 1893, p. 81.
Type, *Coniornis altus* Marsh [Hesperornithidae.]
Κόνις, dust; *ὄρνις*, bird.
- Conuropsis** SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 203.
Type, *Psittacus carolinensis* Linnaeus [Psittacidae.]
Conurus (*κωνος*, a cone; *οὐρά*, tail); + *ὄψις*, aspect.
- Coracocichla** SHARPE, Catal. Birds Brit. Mus., XVII, 1892, p. 7 (note).
New name for *Coracopitta* Selater (not *Corapitta* Bonaparte) (see *Mellopitta*) [Pittidae.]
Κόραξ (*κόρακ*), raven; *κίχλη*, thrush.
- Cornix** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 5.
Type, *Corvus graculus*, *C. monedula* Linnaeus [Corvidae.]
- Corydon** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 264.
New name for *Melanocorypha* Boie [Alaudidae.]
Κορυδών, a lark.
- Coryphænas** R. G. W. RAMSAY, Ibis, ser. 6, Apr., 1890, p. 246.
Type, *Turacanus crassirostris* Gould [Columbidae.]
Κορυφή, head, top; *οινάς*, a wild pigeon.
- Cosmophoneus** NEUMANN, Journ. für Orn., July, 1899, p. 392.
Type, *Laniarius multicolor* Gray (first species mentioned).
[*Laniidae.*]
Κόσμος, ornament; *φονεύς*, a murderer, slayer.
- † **Creccoides**¹ SHUFELDT, Proc. Amer. Phil. Soc., XXX, No. 137, Apr. 14, 1892, p. 125.
Type, *Creccoides osbornii* Shufeldt [Rallidae.]
Κρέξ, a crane; *εἶδος*, form.
- Crecopsis** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Oreæ egregia* Peters [Rallidae.]
Κρέξ, a crane; *ὄψις*, aspect.

¹ Emended to *Creccoides* Shufeldt, Journ. Acad. Nat. Sci. Phila., IX, pt. 3, 1892, p. 412 (note).

- Crocomorphus** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 439.
Type, *Picus flavus* P. L. S. Müller.....[*Picidae*.]
Κρόκος, saffron; *μορφή*, form, shape, figure.
- Cryptillas** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
p. 212.
New name for *Phlevis* Hartlaub, preoccupied.....[*Timaliidae*.]
Κρυπτός, hidden; *ιλλάς*, a thrush.
- Cryptophaps** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 219.
Type, *Carpophaga pacilorrhoea* Brüggemann.....[*Tretonidae*.]
(Subgenus of *Carpophaga*.)
Κρυπτός, hidden; *φάψ*, a pigeon.
- †**Cryptornis** MILNE-EDWARDS, Recher. Ois. Foss. France, II, 1870,
p. 371.
Type, *Centropus? antiquus* Gervais.....[*Incerte sedis*.]
Κρυπτός, hidden; *ὄρνις*, bird.
- Cumana** COUES, Auk, XVII, Jan., 1900, p. 65.
New name for *Pipile* Bonaparte (vs. *Pipilo* Vieillot).....[*Cracidae*.]
From Cumaná, a town in Venezuela.
- Curotreron** HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890,
p. 280.
Emendation of *Kurotreron* Bonaparte.....[*Tretonidae*.]
Κυρώω, I make valid, sure; + *Treton* (*τρήρων*, a dove).
- Cyanerpes** OBERHOLSER, Auk, XVI, Jan., 1899, p. 32.
Type, *Certhia cyanea* Linnæus.....[*Cærebidae*.]
Κύανος, dark blue; *ἔρπης* (*ἔρπω*, I creep, crawl).
- Cyanolesbia** STEJNEGER, Auk, II, Jan., 1885, p. 47.
Type, *Trochilus forficatus* Linnæus.....[*Trochilidae*.]
Κύανος, dark blue; + *Lesbia*.
- Cyanopitta** GOULD, Monograph Pittidae, Pt. 1, 1880, pl. viii.
Type, *Brachyurus steerii* Sharpe.....[*Pittidae*.]
Κύανος, dark blue; + *Pitta*.
- Cymatobolus** REICHENOW, in Heine and Reichenow, Nomencl. Mus.
Hein. Orn., 1890, p. 363.
New name for *Majaqueus* Reichenbach, on grounds of purism.
[*Puffinidae*.]
Κυματόω, I rise in waves; *βόλος*, a throw.
- Cymindus** HALDEMAN, Proc. Acad. Nat. Sci. Phila. I, 1842, p. 191.
Substitute for *Cymindis* Cuvier, preoccupied.....[*Falconidae*.]
Κύμινδης, a hawk-like bird mentioned by Aristotle.
- Cyphorhina** LESSON, L'Écho du Monde Savant, ser. 2, VII, June 15,
1843, col. 1068.
Type, *Podargus papuensis* Quoy and Gaimard.....[*Podargidae*.]
Κυφός, bent; *ρίς*, *ρίν*, nose.
- Dactylortyx** GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 429.
Type, *Ortyx thoracicus* Gambel.....[*Phasianidae*.]
Δάκτυλος, finger; *ὄρνιξ*, a quail.

- Daflûla** COUES, Auk. XIV. Apr., 1897, p. 207.
 Type, *Querquedula eatoni* Sharpe [Anatidæ.]
Daflûla, dim. of *Dafila*.
- Dammeria** HARTERT, Bull. Brit. Orn. Club, VIII, July 4, 1899, p. lvii.
 Type, *Dammeria henrici* Hartert [Musciapidæ.]
 From Dammer, an island in the Banda Sea.
- Daphænositta** DE VIS, Ibis, ser. 7, III, July, 1897, p. 380.
 Type, *Daphænositta miranda* De Vis [Sittidæ.]
 Δαφοινός, bloody, blood-red; + *Sitta* (σίττη, a kind of woodpecker).
- † **Darwinornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 60.
 Type, *Darwinornis copei* Moreno and Mercerat (first species mentioned) [Stereornithes.]
 Named for Charles Robert Darwin.
- Deconychura** CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 338.
 Type, *Deconychura typica* Cherrie [Dendrocolaptidæ.]
 Δέκα, ten; ὄνυξ, claw; οὐρά, tail.
- Deltarhynchus** RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.
 Type, *Myiarchus flammulatus* Lawrence [Tyrannidæ.]
 (A subgenus of *Myiarchus*.)
 Δέλτα, delta; ῥύγχος, bill, from its Δ-shaped bill.
- Dendrophaps** BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 855.
 Type¹ [Columbidæ?]
 Δένδρον, a tree; φάψ, pigeon.
- Dendrophassa** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 359.
 Type, *Columba aromatica* Gmelin [Treronidæ.]
 Δένδρον, a tree; φάσσα, a wood pigeon.
- Dendrophila** HODGSON, Madras Journ. Lit. and Science, V, Apr., 1837, p. 432.
 New name for *Arborophila* Hodgson, on grounds of purism.
 [Phasiavidæ.]
 Δένδρον, a tree; φιλέω, I love.
- Dendrotreron** "HODGSON," BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 867 (note).
 Type, *Columba nipalensis* Hodgson (= *C. hodgsoni* Vigors).
 [Columbidæ.]
 Δένδρον, a tree; + *Treron* (τρήρων, a dove).

¹"At least three subgenera occur [of *Carpophaga*, as known at that time], at the head of which may be placed *Lopholaimus*, G. R. Gray, founded on the *Col. antarctica*, Shaw (v. *dilopha*, Temminck), of Australia; then follow the ordinary Dunkûls, of which the two Indian species are characteristic; and finally a short-winged type, with bill and feet as in the former, and colouring as in the division *Chalcophaps* (of the next subfamily), to which I apply the name *Dendrophaps*."

Dialiptila SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 243.

Type, *Columba guinea* Linnaeus (first species mentioned)

(A subgenus of *Columba*) [*Columbidae*.]

Διαλύω, I part asunder; *πίλον*, a feather.

Dialis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
p. ix.

New name for *Drepanis* Temminck [*Drepanidae*.]

Dialis, ethereal, aerial.

† *Diaphorapteryx* FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.

Type, *Aphanapteryx hawkinsi* Forbes [*Rallidae*.]

Διάφορος, different, *Apteryx* (*ἀ*, priv. + *πέρυξ*, wing).

Diaphorillas OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
p. 212.

New name for *Amytis* Lesson, preoccupied. (See *Amytornis*.)

[*Timaliidae*.]

Διάφορος, different; *ιλλάς*, a thrush.

Diaphoropterus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2,
1899, p. 214.

New name for *Symmorphus* Gould, preoccupied.

[*Campephagidae*.]

Διάφορος, different; *περόν*, wing.

† *Diatropornis* OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
p. 203.

New name for *Tapinopus* Milne-Edwards, preoccupied.

[*Incerte sedis*.]

Διάτροπος, different; *ὄρνις*, bird.

Diatropura OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
p. 215.

New name for *Chera* Gray, preoccupied [*Ploceidae*.]

Διάτροπος, different; *οὐρά*, tail.

Dichrognathus REICHENOW, Journ. für Orn., 1881, p. 255.

New name for *Psittinus* Blyth [*Psittucidae*.]

Δίχρους, two-colored; *γνάθος*, jaw.

Dictaea GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
p. ix.

New name for *Emberizoides* Bonaparte [*Fringillidae*.]

Dicteus, of *Dicte*, *Dictean*.

Dilobus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn.,
1890, p. 335.

New name for *Lobipluvia* Bonaparte, on grounds of purism.

[*Charadriidae*.]

Δίς, double; *λοβός*, a lobe.

Dinorhamphus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
Orn., 1890, p. 228.

New name for *Tucanus* Cassin, on grounds of purism.

[*Ramphastidae*.]

Δεινός, mighty; *ράμφος*, beak.

- Diplocercus** "BLYTH," JERDON, Birds of India, III, 1864, p. 737.
 Type, *Tantalus leucocephalus* Forster [*Ciconiidae*.]
Διπλόος, double; *κέρκος*, tail.
- Diplura** "BLYTH," JERDON, Birds of India, III, 1864, p. 737.¹
 Type, *Tantalus leucocephalus* Forster [*Ciconiidae*.]
Διπλόος, double; *οὐρά*, tail.
- Dipsaleon** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
 New name for *Planctis* Wagler [*Laridae*.]
- Dissemurulus** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 322.
 Type, *Dicrurus lophorhinus* Vieillot [*Dicruridae*.]
Dissemurulus, dim. of *Dissemurus*.
- Dolychoeix** КΑΥΡ, Thierreich, II, Pt. 1, 1836, p. 139.
 No type mentioned; a *nomen nudum* here [*Incertæ sedis*.]
- Donacias** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 321.
 New name for *Lewinia* Bonaparte, on grounds of purism. [*Rallidae*.]
Δόναξι, a reed, with suffix $> ias$.
- Donacophilus** REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.
 New name for *Laterallus* Bonaparte, on grounds of purism. [*Rallidae*.]
Δόναξι, a reed; *φιλέω*, I love.
- Doriponus** REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.
 New name for *Agamiu* Reichenbach, on grounds of purism. [*Ardeidae*.]
Δορίπονος, toiling with the spear.
- Drepananax** SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.
 Type, *Drepanornis bruijui* Oustalet [*Paradisidae*.]
Δρεπάνη, a sickle; *ἄναξι*, a lord, king.
- Drepanoplectes** SHARPE, Ibis, ser. 6, III, Apr., 1891, p. 246.
 Type, *Drepanoplectes jacksoni* Sharpe [*Ploceidae*.]
Δρεπάνη, a sickle; *Plectes* (n. l. $< \pi\lambda\epsilon\kappa\tau\acute{o}\varsigma$, woven), a weaver.
- Drepanorhamphus** ROTHSCILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, p. 163.
 Type, *Drepanis funerea* Newton [*Drepanidae*.]
Δρεπάνη, a sickle; *ῥάμφος*, a curved beak.
- Drepanorhynchus** DUBOIS, Mem. Zool. Soc. France, VII, 1894, p. 400.
 Type, *Drepanorhynchus schistaceus* Dubois (see *Spermophilopsis*) [*Fringillidae*.]
Δρεπάνη, a sickle; *δύχος*, a beak.

¹This name has precedence (anteriority) over *Diplocercus*.

Drepanorhynchus ROTHSCHILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, pl. LXII.

Type, *Drepanis funerea* Newton (see *Drepanorhamphus*).

[*Drepanidæ*.]

Δρεπάνη, a sickle; *ρόγχος*, a beak.

Dryocolaptes GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. 86.

Type, *Picus tridactylus* Linnæus.....[*Picidæ*.]

Dryolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Rallus cuvieri* Pucheran.....[*Rallidæ*.]

Δρύος, a copse, thicket; *λίμνάς*, marshy, of the mere.

† **Dryornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 59.

Type, *Dryornis pampeanus* Moreno and Mercerat.

[*Stereornithes*.]

Δρῦς, a tree, an oak; *ὄρνις*, a bird.

Dupetor HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.

New name for *Ardeiralla* Bonaparte.....[*Ardeidæ*.]

Δουπήτωρ, a clatterer.

Dybowskia OUSTALET, Le Naturaliste, ser. 2, VI, Sept. 15, 1892, p. 218.

Type, *Dybowskia kemoensis* Oustalet.....[*Timaliidæ*.]

Named for Jean Dybowski.

† **Dynamopterus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 64.

Type, *Dynamopterus velox* Milne-Edwards.....[*Cuculidæ*.]

Δύναμις, power, force; *πτερόν*, wing.

Ecmeles GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Hydrocorax* Vieillot.....[*Phalacrocoracidæ*.]

Ἐκμελής, out of tune, irregular, unbridled.

Einalia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 358.

New name for *Laroides* Brehm, on grounds of purism.

[*Laridæ*.]

Εινάλιος, of the sea.

Elachura OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 339.

Type, *Troglodytes punctatus* Blyth.....[*Troglodytidæ*.]

(see *Spiloptera*.)

Ἐλαχύς, small; *οὐρά*, tail.

† **Elaphrocnemus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 77.

Type, *Elaphrocnemus phasianus* Milne-Edwards (first species mentioned).....[*Ralliformes*.]

Ελαφρός nimble, swift; *κνήμη*, the leg.

- Elasas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 263.
New name for *Elanoides* Vieillot, on grounds of purism. [Falconidae.]
- 'Ελασαῶς, an unknown bird.
- Elasmonetta** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 287.
Type, *Anas chlorotis* Gray [Anatidae.]
- 'Ελασμός, a thin plate; νῆπτα, a duck.
- Elathea** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
New name for "*Bruchypus* Gould" [Pycnonotidae.]
- Electron** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
New name for "*Crypticus* Bonaparte" [Momotidae.]
- "Ηλεκτρον, something bright and beaming.
- †**Elornis** AYMARD, Congrès Sci. de France, 1856, I, p. 234.
Type, *Elornis antiquus* Aymard [Phenicopteridae.]
- "Ελος, low ground bordering rivers, a marsh; ὄρνις, a bird.
- Emarginata** SHELLEY, Birds of Africa, I, 1896, p. 89.
Type, *Luscinia sinuata* Sundevall [Turdidae.]
- Emarginatus*, emarginate.
- †**Enaliornis** SEELEY, Index to Fossil Remains of Aves, etc., 1869, p. xvii (*nomen nudum* here); Quart. Journ. Geol. Soc., XXXII, 1876, pp. 496-510.
New name for *Pelagornis* Seeley (not Lartet). [Enaliornithidae.]
- 'Ενάλιος, living in the sea; ὄρνις, bird.
- Endomychura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.
New name for *Micruria* Grant, preoccupied [Alcidae.]
- 'Ενδόμυχος, concealed; οὐρά, tail.
- Entomyzon** SWAINSON, Zool. Journ., I, Jan., 1825, p. 480 (note).
Type, the "blue-faced Grakle of Latham" (= *Gracula cyanotis* Latham) [Meliphagidae.]
- 'Εντός, within, inside; μύζω, I suck.
- Enygrotheres** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 353.
New name for *Sticticarbo* Bonaparte, on grounds of purism. [Phalacrocoracidae.]
- "Ενυγρος, in the water, aquatic; θηράω, I hunt, pursue.
- †**Eoneornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 593.
Type, *Eoneornis australis* Ameghino [Anatidae.]
- 'Ηώς, dawn, νέος, new; ὄρνις, bird.
- Eremiornis** NORTH, Victorian Naturalist, XVII, Aug., 1900, p. 78.
Type, *Eremiornis carteri* North [Timaliidae.]
- 'Ερημία, desert; ὄρνις, bird.

Eremopterix KAUP, Thierreich, II, Pt. 1, 1836, p. 139.

Type, *Fringilla otoleucus*, *F. cruciger* Temminck. [Alaudidae.]

Eribates RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.

Type, *Myiobius magnirostris* Gray. [Tyrannidae.]

(A subgenus of *Myiarchus*.)

Ἐρι, intensive particle; βάτης, one that treads or covers.

Erythrobucco SHELLEY, Ibis, ser. 6, I, Oct. 1889, p. 475.

Type, *Pogonias rolleti* DeFilippi. [Capitonidae.]

Ἐρυθρός, red; + Bucco (bucco, a babbling, foolish fellow).

Erythrocnus SHARPE, Bull. Brit. Orn. Club, iii, Apr. 30, 1894,
p. xxxix.

Type, *Ardea rufiventris* Sundevall. [Ardeidae.]

Ἐρυθρός, red; ὄκνος, bittern.

Erythrolimnas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
Orn., 1890, p. 320.

New name for *Rufirallus* Bonaparte, on grounds of purism.

[Rallidae.]

Ἐρυθρός, red; λιμνάς (λιμναῖος) marshy, of the mere.

Erythrophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894,
p. xxxviii.

Type, *Ardeiralla woodfordi* Grant. [Ardeidae.]

Ἐρυθρός, red; φῶνξ, a kind of heron.

Erythrotriorchis "GURNEY MS.", SHARPE, Proc. Zool. Soc. Lond.,
1875, p. 337.

Type, *Falco radiatus* Latham. [Falconidae.]

Ἐρυθρός, red; τριόρχος, a kite.

Etoimus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
p. x.

New name for *Mirafra* Horsfield. [Alaudidae.]

Ἐτοιμος, ready, prepared, real, actual.

Eucorax SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Manucodia comrii* Selater. [Paradisidae.]

Εὐ, well; κόραξ, a raven.

Eugralla LESSON, Actes Soc. Linn. Bordeaux, XII, no. 41, Sept., 1842,
p. 197.

Type, *Troglodytes paradoxus* Kittlitz, and *Megalonyx nanus*
Lesson. Should replace *Triptorhinus*! [Pteroptochidae.]

(A subgenus of *Megalonyx*.)

Euhierax WEBB and BERTHELOT, Hist. Nat. Canaries, II, Ornith.,
1838-1844, p. 5.

Type, *Falco peregrinus* Linnaeus (first species mentioned).

[Falconidae.]

Εὐ, well; ἰέραξ, a hawk.

Euhyas SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 736.

New name for *Eurypterus* Sharpe, preoccupied (see *Zapterus*).

[*Charadriidae*.]

Eὐ, well; + *Hyas*.

Eulacestoma DE VIS, Ann. Report Brit. New Guinea (1893-94), 1894, App. EE, p. 102.

Type, *Eulacestoma nigropectus* De Vis [*Laniidae*.]

Εὐλάκα, a plowshare; *στόμα*, mouth.

Eulipoa GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 462.

Type, *Megapodius wallacei* Gray [*Megapodidae*.]

Eὐ, well; + *Lipoa*.

Eumathes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 110.

New name for *Mino* Lesson, on grounds of purism. [*Sturnidae*.]

Εὐμαθής, quick at learning.

† **Eupterornis** LEMOINE, Recher. Ois. Foss. Environs de Reims, Pt. 1, 1878, p. 56.

Type, *Eupterornis remensis* Lemoine [*Incertæ sedis*.]

Eὐ, well; *πτερόν*, wing; *ὄρνις*, bird.

Eurhinospiza OUSTALET, Ann. Sci. Nat. (Zool.), ser. 7, XII, 1891, p. 293.

Type, *Eurhinospiza henrici* Oustalet [*Fringillidae*.]

Eὐ, well; *ῥίς* (*ῥιν*-), nose; *σπίζα*, finch.

Eurillas OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 7, 1899, p. 15.

Type, *Andropadus virens* Cassin [*Timaliidae*.]

Εὐρύς, broad; *ιλλάς*, a thrush.

† **Euryonotus** MERCERAT, Anales Soc. Científica Argentina, XLIII, No. V, May, 1897, p. 238.

Type, *Euryonotus brachypterus* Mercerat (first species mentioned) [*Rallidae?*]

Εὐρύς, broad; *ῶτος*, back.

Eurypterus SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 171.

Type, *Charadrius leucurus* Lichtenstein (see *Euhyas*).

[*Charadriidae*.]

Εὐρύς, broad; *πτερόν*, wing.

† **Eutelornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 594.

Type, *Eutelornis patagonicus* Ameghino [*Anatidae*.]

Εὐτελής, cheap, paltry, worthless; *ὄρνις*, bird.

Falcinellus CUVIER, Règne Animal, I, 1817, p. 486.

Type, *Scolopax pygmaea* Gmelin [*Scolopacidae*.]

Falcinellus, dim. of *fulcr*, a sickle.

Fedoa STEPHENS, General Zoology, XII, Pt. 1, 1824, p. 70.

Type, *Fedoa americana* Stephens (= *Scolopax fedoa* Linnaeus).

[*Scolopacidae*.]

- † *Filholornis* MILNE-EDWARDS, *Compte-Rendu Second Congrès Ornith. Int.*, II, 1892, p. 67.
Type, *Filholornis paradora* Milne-Edwards (first species mentioned) -----[*Incertæ sedis.*]
Named for M. Henri Filhol.
- † *Flacourtia* ANDREWS, *Novitates Zoologicae*, II, Feb. 1, 1895, p. 25.
Type, *Mullerornis rudis* Milne-Edwards and Grandidier.
[*Æpyornithidæ.*]
Named for Étienne de Flacourt, an early governor of Madagascar.
- † *Foetopterus* MORENO and MERCERAT, *Anales Mus. La Plata (Paleon. Argen., I)*, 1891, p. 66.
Type, *Foetopterus ambiguus* Moreno and Mercerat. --[*Falconidæ.*]
?Fœtus, offspring; πτερόν, wing.
- Formicicapa* DAUDIN, *Ann. Mus. d'Hist. Nat.*, III, 1804, p. 146 (*nomen nudum* here?)
Type, "*Gobe-fourmi*" (a *nomen nudum* here?) --[*Formicariidæ.*]
Formica, an ant; *capere*, to take.
- Galeolimnas* HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 320.
New name for *Mustelirallus* Bonaparte, on grounds of purism.
[*Rallidæ.*]
Γαλέη, a weasel; λιμνάς, of the mere, marshy.
- Galeopsar* SHARPE, *Ibis*, ser. 6, III, Apr., 1891, p. 241.
Type, *Galeopsar salvadorii* Sharpe -----[*Sturnidæ.*]
Γαλέη, a weasel; ψάρο, starling.
- Galeripitta* ELLIOT, *Monogr. Pittidæ*, ed. 2, Pt. 5, 1895, p. xvii (introd.).
Type, *Pitta cucullata* Hartlaub -----[*Pittidæ.*]
(A subgenus of *Pitta.*)
Galerum, a helmet; + *Pitta*.
- Galgulus* WAGLER, *Systema Avium*, I, 1827, p. 326.
Type, *Corvus gymnocephalus* Temminck -----[*Corvidæ.*]
Galgulus, a name applied to a thrush-like bird.
- Gallina* LINNÆUS, in Hasselquist, *Reise nach Palaestina*, 1762, p. 327.
Type, *Phasianus meleagris* Linnæus -----[*Phasianidæ.*]
Gallina, a hen, fowl.
- † *Gallinuloides* EASTMAN, *Geol. Mag.*, Feb., 1900, p. 54.
Type *Gallinuloides wyomingensis* Eastman. [*Rallidæ* (= *Craces*).]
Gallinula, + εἶδος, form.
- Gambetta* KAUP, *Natürl. Syst.*, 1829, p. 54.
Type, *Tringa calidris* Linnæus -----[*Scolopacidæ.*]
Gambetta, an Italian name for a sandpiper.
- Gavia*, Gloger, *Hand-und Hilfsbuch*, I, 1842, p. 433.
New name for *Vanellus* Brisson -----[*Charadriidæ.*]

Geniatus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 225.

New name for *Chotorea* Bonaparte, on grounds of purism.

[*Capitonidae*.]

Γενειάτης, bearded.

Gennadas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 262.

New name for *Gennaia* Kaup, 1847, (not *Gennæus* Wagler, 1832).

[*Falconidae*.]

Γεννάδας, of noble birth.

Gennaeochen HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 343.

New name for *Radjah* Reichenbach, on grounds of purism.

[*Anatidae*.]

Γενναῖος, high born; χήν, goose.

†**Genyornis** STIRLING and ZEITZ, Trans. Roy. Soc. S. Austr., XX, 1896, p. 171.

Type, *Genyornis newtoni* Stirling and Zeitz . . . [*Dromornithidae* .]

Γένυς, chin, jaw; ὄρνις, bird.

Geospiza GLOGER, Hand-und Hilfsbuch, I, 1842, p. 254.

Type, *Fringilla nivalis* Linnæus [*Fringillidae* .]

†**Geranopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 166.

Type, *Geranopsis hastingsie* Lydekker [*Gruvida* .]

Γέρανος, a crane; ὄψις, aspect.

†**Geranopterus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 66.

Type, *Geranopterus alatus* Milne-Edwards [*Coraciidae* .]

Γέρανος, a crane; πτερόν, wing.

Glaucerosidius HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 307.

New name for *Florida* Baird, on grounds of purism . . . [*Ardeidae* .]

Γλαυκός, bluish green, gray; ἐρωδιός, a heron.

Gmelinius BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 1), Mar., 1894, p. 108.

Type, *Trochilus bicolor* Gmelin [*Trochilidae* .]

Named for Johann Friedrich Gmelin.

Granatina SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 403.

Type, *Fringilla granatina* Linnæus [*Plocidae* .]

Granatina, dim. of *granatus*.

Gripeus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 352.

New name for " *Graculus* Rehb., 1853 " (type, *Pelecanus graculus*

Linnæus) [*Phalacrocoracidae* .]

Γριπέύς, a fisherman.

- †**Griphornis** OWEN MS., Woodward, Intellectual Observer, II, Dec., 1862, p. 317.
Type, *Griphornis longicaudatus* Owen MS., Woodward.
[*Archaeopteryges*.]
Γριφός, riddle; ὄρνις, bird.
- †**Griphosaurus** WAGNER, Sitzungsberichte bay. Akad., II, 1861, p. 153.
Type, *Griphosaurus* (= *Archaeopteryx*).....[*Archaeopteryges*.]
Γριφός, riddle; σαῦρος, a lizard.
- Gymnocrotaphus** BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 245.
Type, *Brachypus tygus* Bonaparte (see *Bonapartia*).
[*Timaliidae*.]
Γυμνός, naked; κρόταφος, side of the face.
- Gymnogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1037.
Type, *Vultur californianus* Shaw.....[*Cathartidae*.]
(A subgenus of *Vultur*).
Γυμνός, naked; γύψ, a vulture.
- Gymnolæmus** GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 370.
Type, *Anthracoceros marchii* Oustalet.....[*Bucconidae*.]
Γυμνός, naked; λαιμός, throat, gullet.
- Gymnops** SPIX, Avium Species Novæ, I, 1824, p. 10.
Type, *Gymnops fasciatus* Spix.....[*Falconidae*.]
Γυμνός, naked; ὤψ, face.
- Hagiopsar** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 168.
Type, *Amydrus tristrami* Sclater.....[*Sturnidae*.]
Ἅγιος, sacred; ψάρ, starling.
- Halinertus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 267.
New name for *Haliastur* Selby, on grounds of purism.
[*Falconidae*.]
Ἅλιος, of the sea; νέρτος, a bird of prey.
- Halobates** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Hydrobates* Boie.....[*Procellaridae*.]
- Haploenas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 278.
New name for *Turacœna* Bonaparte, on grounds of purism.
[*Columbidae*.]
Ἄπλουνς, simple, plain; οινάς, a wild pigeon.
- Haplopyga** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvi.
Type, *Loxia astrild* Linnaeus.....[*Ploceidae*.]
Ἄπλουνς, simple; πυγή, rump.

- Heliobucco** SHELLEY, *Ibis*, ser. 6, I, Oct., 1889, p. 476.
 Type, *Gymnobucco bonapartii* Hartlaub. [*Capitonidae*.]
 "Ἡλιος, the sun; + *Bucco*.
- Heliocorys** SHARPE, *Catal. Birds Brit. Mus.*, XIII, 1890, p. 623.
 Type, *Galerida modesta* Heuglin [*Alaudidae*.]
 "Ἡλιος, the sun; κόρυς, a lark.
- Heliopais** SHARPE, *Bull. Brit. Orn. Club*, I, Mar. 28, 1893, p. xxxvii.
 Type, *Podica personata* Gray [*Heliornithidae*.]
 "Ἡλιος, sun; παῖς, a child.
- Hemithraupis** RIDGWAY, *Auk*, XV, July (May 13), 1898, p. 226.
 Type, *Agelaius cyanocephalus* Lafresnaye [*Tanagridae*.]
 "Ἡμισυς (ἡμι-), half; θραυπίς, a small bird.
- Herophilus** GISTEL, *Naturgesch. des Thierreichs für höhere Schulen*, 1848, p. viii.
 New name for *Cecropis* Boie [*Hirundinidae*.]
 "Ἡρώς, a hero; φίλος, loving.
- Heterhyphantes** SHARPE, *Catal. Birds Brit. Mus.*, XIII, 1890, p. 414.
 Type, *Malimbus nigricollis* Vieillot (first species mentioned).
 [*Plocidae*.]
 "Ἐτερος, other, different; + *Hyphantes* (ὀφάντης, a weaver).
- Heterocnus** SHARPE, *Bull. Brit. Orn. Club*, V, Dec. 30, 1895, p. xiv.
 Type, *Tigrisomus cabanisi* Heine [*Ardeidae*.]
 "Ἐτερος, different; ὄκνος, a bittern.
- Heteropsar** SHARPE, *Catal. Birds Brit. Mus.*, XIII, 1890, p. 185.
 Type, *Lamprocolius acuticaudus* Bocage (first species mentioned) [*Sturnidae*.]
 "Ἐτερος, different; ψάρ, starling.
- Heteroptilorhis** SHARPE, *Monogr. Paradiseidae*, Pt. 8, 1898, p. x.
 Type, *Craspedophora mantoui* Oustalet [*Paradiseidae*.]
 "Ἐτερος, different; + *Ptilorhis* (πίλον, a feather; ῥίς, nose).
- Heterospingus** RIDGWAY, *Auk*, XV, July (May 13), 1898, p. 225.
 Type, *Tachyphonus rubrifrons* Lawrence [*Tanagridae*.]
 "Ἐτερος, different; σπίνγος (= σπίνος), a small bird, a finch.
- Heterotetrax** SHARPE, *Catal. Birds Brit. Mus.*, XXIII, 1894, p. 296.
 New name for *Heterotis* Sharpe, preoccupied [*Otididae*.]
 "Ἐτερος, different; + *Tetrax* (τέτραξ, a pheasant).
- Heterotis** SHARPE, *Bull. Brit. Orn. Club*, I, June 1, 1893, p. 1.
 Type, *Otis vigorsii* Smith (see *Heterotetrax*) [*Otididae*.]
 "Ἐτερος, different; + *Otis* (ὠτίς, a kind of bustard).
- Heterotrogon** RICHMOND, *Proc. U. S. Nat. Mus.*, XVII, May 11, 1895, p. 602.
 Type, *Hapaloderma rittatum* Shelley [*Trogonidae*.]
 "Ἐτερος, different; + *Trogon*.

- Hilarocichla** OATES, Fauna British India (Birds), I, Dec., 1889, p. 243.
 Type, *Pteruthius rufiventris* Blyth -----[*Muscicapidæ*.]
 Ἠλαρός, cheerful, gay; κίχλη, a thrush.
- “*Hirundolanus* Clarke.” This name is referred to by Count Salvadori as having been omitted from Waterhouse’s “Index.” It, however, appears to have no standing; it was not printed in the Trans. N. Z. Inst., XIII, 1881, p. 454, and was quoted by Buller (Birds New Zealand, ed. 2, I, 1888, p. 119) only to be discredited.
- Histriophaps** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 529.
 Type, *Columba histrionica* Gould -----[*Peristeridæ*.]
Histrion, an actor; + *Phaps* (φάψ, a pigeon).
- Homopelia** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 409.
 Type, *Columba picturata* Temminck -----[*Peristeridæ*.]
 (A subgenus of *Turtur*.)
 Ομός, the same, like; πέλεια, a dove.
- Horizocerus** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899, p. 28.
 Type, *Toccus hartlaubi* Gould -----[*Bucrotidæ*.]
 Ὀρίζω, I limit; κέρας, a horn.
- Horizopus** OBERHOLSER, Auk, XVI, Oct., 1899, p. 331.
 New name for *Contopus* Cabanis, 1855, not *Contipus* de Marseul, 1853 -----[*Tyrannidæ*.]
 Ὀρίζω, I limit; πούς, foot.
- Horizorhinus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.
 New name for *Cuphopterus* Hartlaub, preoccupied ..[*Turdidæ*.]
 Ὀρίζω, I limit; ρίς, nose.
- Houbaropsis** SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.
 Type, *Otis bengalensis* Gmelin -----[*Otididæ*.]
Houbara, native name of a bustard; + ὄψις, aspect.
- Houppifer** GUÉRIN-MÉNEVILLE, Icon. Règne Anim. Ois., 1829-1838, p. 26.
 Type, *Phasianus erythrophthalmus* Raffles -----[*Phasianidæ*.]
Houppé, tuft, topknot; *fero*, to bear.
- Hydranassa** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 306.
 Type, *Ardea rufa* Boddaert -----[*Ardeidæ*.]
 Ἰδωρ (ὕδρ-), water; ἄνασσα, queen.
- Hydrobates** TEMMINCK, Planches Coloriées, V (livr. 68), 1826, pl. 406.
 Type, *Anas lobata* Shaw -----[*Anatidæ*.]
- Hydrocorax** VIEILLOT, Analyse, Apr., 1816, p. 63.
 Type, “Cormoran Buff.” (= *Pelecanus carbo* Linnæus).
 [*Phalacrocoracidæ*.]
- Ἰδωρ (ὕδρ-), water; κόραξ, a raven.

Hyetoceryx HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 336.

New name for *Pluviorhynchus* Bonaparte, on grounds of purism.
[*Charadriidae*.]

Ἑτερός, rain; κήρυξ, herald.

Hylaërops GLOGER, Hand- und Hilfsbuch, I, 1842, p. xxxv.

Type, *Galbula tridactyla* Vieillot.....[*Galbulidae*.]

Hylike GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Leistes* Vigors.....[*Icteridae*.]

Ἑλική, material, worldly.

Hylorchilus NELSON, Auk, XIV, Jan., 1897, p. 71.

Type, *Catherpes sumichrasti* Lawrence.....[*Troglodytidae*.]

Ἑλλη, forest; ὄρχιλος, wren.

Hyperanthus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Euplectes* Swainson.....[*Ploceidae*.]

Ἑπέρ, over, excess; ἄνθος, a flower, gay color.

Hyphantospiza REICHENOW, Berichte Allgem. Deutsche Ornith. Ges., Feb., 1892, p. 6.

Type, *Coccothraustes olivaceus* Fraser.....[*Fringillidae*.]

Ἑφάντης, a weaver; σπίζα, finch.

Hypocharmosyna SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 72.

Type, *Psittacus placentis* Temminck.....[*Loriidae*.]

Ἑπό, under; + *Charmosyna* (χαρμόσυνος, joyful, glad).

Hypocrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Kittacincla* Gould.....[*Timaliidae*.]

Ἑποκριτής, one who answers, an interpreter, an actor.

†**Hypselornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 354.

Type, *Hypselornis sivalensis* Lydekker.....[*Casuariidae*.]

Ἑψηλός, lofty, towering; ὄρνις, bird.

†**Ibidopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 74.

Type, *Ibidopsis hordwelliensis* Lydekker.....[*Plataleidae*.]

Ἴβις (ἰβιδ-), *ibis*; ὄψις, appearance.

†**Idiornis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Orthocnemus* Milne-Edwards, preoccupied.

[*Incertæ sedis*.]

Ἰδιος, distinct; ὄρνις, bird.

Ifrita ROTHSCHILD, Bull. Brit. Orn. Club, VII, May 25, 1898, p. liii.

Type, *Ifrita coronata* Rothschild.....[*Timaliidae*.]

Ἰφρίτ, a demon (Arabian).

Proc. N. M. vol. xxiv—01—44

Ilyonetta HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 347.

New name for *Nyroca* Fleming, on grounds of purism.

[*Anatida*.]

Ἰλύς, mud; νήττα, a duck.

Incaspiza RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.

Type, *Aimophila pulchra* Selater[*Fringillidæ*.]

Inca, an ancient Peruvian; σπιζα, finch.

Insignipitta ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Pitta ellioti* Oustalet[*Pittidæ*.]

(A subgenus of *Pitta*.)

Insignis, notable; + *Pitta*.

Inpodomus GLOGER, Hand- und Hilfsbuch, I, 1842, p. 304.

Type, *Turdus figulus* Lichtenstein[*Furnariidæ*.]

Ἰπρός, an oven; δόμος, house.

Itys WAGLER, Isis, 1831, p. 535.

New name for *Ocyptes* Wagler (not *Ocypteta* Leach, 1814).

[*Thinocoridæ*.]

Ixidia BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.

New name for *Irodia* Blyth[*Timaliidæ*.]

Ixodes BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.

Type, same as *Irodia* Blyth?[*Timaliidæ*.]

Ἰξώδης, like birdlime; stingy.

Jaco LESSON, Manuel d'Ornithologie, II, June, 1828, p. 151; De Filippi, Museum Mediolanense, 1847, p. 20.

Type, "*Le perroquet gris*" (= *Psittacus erythacus* Linnæus).

[*Psittacidæ*.]

(A subgenus of *Psittacus*.)

Jaco, a poll parrot (French).

Janthothorax BÜTTIKOFER, Notes Leyden Museum, XVI, Mar. 15, 1895, p. 163.

Type, *Janthothorax bensbachi* Büttikofer[*Paradisidæ*.]

"*Iov*, violet, ἄνθος, flower; θώραξ, breastplate.

Jonocicca SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, III, 1887, p. 236.

Type, *Porphyrio alleni* Thomson[*Rallidæ*.]

"*Iov*, violet; κίκκα, cock.

Kakatoe CUVIER, Leçons d'Anatomie Comparée, I, Apr., 1800, 2d tableau.

Type, "*Kakatoës*"[*Cuculidæ*.]

Kakatoës, cockatoo (French).

Kittlitzia HARTERT, Katalog Vogelsammlung Mus. Senckenb., 1891, p. 75.

Type, *Calornis corvina* Kittlitz[*Sturnidæ*.]

Named for Friedrich von Kittlitz.

- Kittlitzia** HARTLAUB, Abhandl. Nat. Ver. Bremen, XII, 1892, p. 391.
Type, *Rallus monasa* Kittlitz (see *Aphanolimnas*).—[*Rallidae*.]
Named for Friedrich von Kittlitz.
- Laceryzon** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 109.
New name for *Gracupica* Lesson, on grounds of purism.
[*Sturnidae*.]
Λακέρυζα, one that cries.
- †**Lagopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 66.
Type, *Lagopterus minutus* Moreno and Mercerat.—[*Falconidae*.]
(See *Asthenopterus*.)
- Lambruschinia** SALVADORI, Atti Soc. Ital. Sci. Nat., VI, 1864, p. 487.
Type, *Larus gelastes* Lichtenstein.....[*Laridae*.]
Named for Luigi (?) Lambruschini.
- Lamprothorax** MEYER, Abhandl. und Berichte Mus. Dresden, V, No. 2, 1894, p. 3.
Type, *Lamprothorax wilhelminæ* Meyer.....[*Paradisidae*.]
Λαμπρός, shining; *θώραξ*, breastplate.
- Lanioturdinus** BÜTTIKOFER, Notes Leyden Museum, XVII, 1895, p. 72.
Type, *Corythoichla crassa* Sharpe.....[*Timaliidae*.]
Lanius + *Turdinus*.
- Laticauda**¹ LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 758.
Type, *Trochilus tyrianthinus* Loddiges.....[*Trochilidae*.]
(A subgenus of *Ornismyia*.)
Latus, broad; *cauda*, tail.
- Lawrencius** BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 3), Sept. 1894, p. 173.
Type, *Eupherusa euryiceps* Lawrence.....[*Trochilidae*.]
Named for George Newbold Lawrence.
- Lecythoplastes** REICHENOW, Ornith. Monatsb., VI, July, 1898, p. 115.
Type, *Lecythoplastes preussi* Reichenow.....[*Hirundinidae*.]
Λήκυθος, an oil vase; *πλαστής*, a molder, modeler.
- Leptomyza** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 535.
New name for *Leptornis* Hombron & Jacquinot, preoccupied.
[*Meliphagida*.]
- Leptopelia** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.
New name for *Talpacotia* Bonaparte, on grounds of purism.
[*Peristeridae*.]
Λεπτός, delicate; *πέλεια*, a dove.

¹This name has priority over and should replace *Metallura* Gould, 1847.

- Leptosittaca** BERLEPSCH and STOLZMANN, Ibis, ser. 6, VI, July, 1894, p. 402.
Type, *Leptosittaca brauickii* Berlepsch and Stolzmann. [Psittacidae.]
Λεπτός, delicate; *σιττάκιη*, a parrot.
- Leptourus** SWAINSON, Birds of Western Africa, II, 1838, p. 184.
Type, *Zanclostomus flavirostris* Swainson [Cuculidae.]
(A subgenus of *Zanclostomus*.)
- Leucocarbo** BONAPARTE, Consp. Gen. Avium, II, 1855, p. 176.
Type, *Carbo bougainvillii* Lesson (first species mentioned). [Phalacrocoracidae.]
(A subgenus of *Urile*.)
Λευκός, white; + *Carbo* (*carbo*, coal, charcoal).
- Leucenas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 242.
Type, *Columba grisea* Gray [Columbidae.]
(A subgenus of *Columba*.)
Λευκός, white; *οινάς*, a wild pigeon.
- Leucophox** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxix.
Type, *Ardea candidissima* Gmelin [Ardeidae.]
Λευκός, white; *φώυξ*, a species of heron.
- Leucuria** BANGS, Proc. Biol. Soc. Wash., XII, Oct. 31, 1898, p. 173.
Type, *Leucuria phalerata* Bangs [Trochilidae.]
Λευκός, white; *οὐρά*, tail.
- Lignobucco** REICHENOW, Journ. für Orn., July, 1887, p. 309.
Type, *Lignobucco consobrinus* Reichenow [Capitonidae.]
Lignum, wood; + *Bucco*.
- Limnætus** BOWDICH, Excursions in Madeira and Porto Santo, 1825, p. 56.
Type, the *Manta* (= *Falco buteo* Linnæus) [Falconidae.]
Λίμνη, a pool, marsh; *ἀετός*, eagle.
- Limnogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
Type, *Ardea americana* Linnæus [Gruidae.]
Λίμνη, a pool, marsh; *γέρανος*, a crane.
- Limoneres** REICHENOW, Journ. für Orn., July, 1885, p. 372.
New name for *Dinemellia* Reichenbach, on grounds of purism. [Ploceidae.]
Λειμώνιρης, belonging to a meadow.
- Lioparus** OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 174.
Type, *Proparus? chryseus* Hodgson [Timaliidae.]
Λειός, smooth; + *Parus* (a titmouse).
- † **Liornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 570.
Type, *Liornis floweri* Ameghino [Stereornithes.]
Λειός, smooth; *ὄρνις*, bird.
- † **Liptornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 597.
Type, *Liptornis hesternus* Ameghino [Pelecanidae?]

- †**Lithophaps** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 121.
Type, *Lithophaps uluaris* De Vis [Trogonidae.]
Λίθος, stone; *ψάψ*, a pigeon.
- Lobibyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 334.
Type, *Tringa lobata* Latham [Charadriidae.]
- Loboparadisea** ROTHSCHILD, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xv.
Type, *Loboparadisea sericea* Rothschild [Paradisæidae.]
Λοβός, a lobe; + *Paradisæa*.
- Lobospingus** DE VIS, Ibis, ser. 7, III, July, 1897, p. 389.
Type, *Lobospingus sigillifer* De Vis [Ploceidae.]
Λοβός, a lobe; *σπίγγος* (= *σπίρος*), a small bird, a kind of finch.
- Lochmophasis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 298.
New name for *Gallophasis* Hodgson, on grounds of purism. [Phasianidae.]
Λόχη, a thicket; *φᾶσις*, the Phasian bird, pheasant.
- †**Lophiornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.
Type, *Lophiornis obliquus* Ameghino [Sternornithes.]
Λοφία, a ridge, mane; *ὄρνις*, bird.
- Lophobasileus** PLESKE, Wiss. Result. Przew. Reis., Zool. Th., 1891, pp. 95-96.
Type, *Leptopareile degans* Przewalski [Turdidae.]
Λόφος, crest; *βασιλεύς*, a king, prince.
- Lophomyia** FITZINGER, Sitzungsab. Ak. Wissensch. Wien, XLVI, Pt. 1, 1863, p. 235.
Type, *Trochilus magnificus* Vieillot [Trochilidae.]
- Lophophalaris** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.
New name for *Lupha* Reichenbach, on grounds of purism. [Rallidae.]
Λόφος, crest; *φαλαρίς*, a coot.
- Lophozosterops** HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 367.
Type, *Lophozosterops dohertyi* Hartert [Timaliidae.]
Λόφος, crest; + *Zosterops* (ζωστήρ, a girdle; ὤψ, eye).
- Loria** SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, XIV, May 15, 1894, p. 151.
Type, *Loria loriae* Salvadori (= *Cnemophilus*?). [Ptilonorhynchidae.]

Named for Dr. Lamberto Loria.

- †**Loxornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 595.
 Type, *Loxornis cilius* Ameghino [Incertæ sedis.]
Λοξός, crosswise, slanting; ὄρνις, bird.
- Lybius** HERMANN, Tabula Affinitatum Animalium, 1783, pp. 217, 235.
 Type, "Le Guifso Balito" Buffon (= *Loxia tridactyla* Gmelin).
 [Capitonidæ.]
 (See *Melanobucco*.)
Λιβύος, a kind of bird mentioned by Aristotle.
- Lychnidospiza** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvii.
 Type, *Estrilda melanogaster* Heuglin [Ploceidæ.]
Λυχνίς (λυχνιδ-), a plant with a bright scarlet flower; σπιζα, a finch.
- Lysurus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
 Type, *Buarremon crassirostris* Cassin [Fringillidæ.]
λύειν (λυσ-), to loose; οὐρά, tail.
- Macgregoria** DE VIS, Ibis, ser. 7, III, Apr., 1897, p. 251.
 Type, *Macgregoria pulchra* De Vis [Paradisidæ.]
 Named for Lady McGregor, wife of the first governor of British New Guinea.
- Machlostomus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 228.
 New name for *Tucanus* Bonaparte, on grounds of purism.
 [Rampastidæ.]
Μάχλος, wanton, lustful; στόμα, mouth.
- Malacorhynchus** WAGLER, Isis, 1832, p. 1235.
 Type, *Anas malacorhynchus* Forster [Anatidæ.]
- Manikup** DESMAREST, Hist. Nat. Tangaras, etc., 1805, text to pl. 66.
 Type, *Pipra albifrons* Gmelin [Formicariidæ.]
Manikin + *huppe*.
- Marisca** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
 New name for *Cossypha* Vigors [Timaliidæ.]
Marisca, a kind of fig.
- †**Megalapteryx** HAAST, Trans. Zool. Soc. Lond., XII, Pt. 5, Dec., 1886, p. 161.
 Type, *Megalapteryx hectori* Haast [Dinornithidæ.]
Μέγας (μεγαλ-), great; + *Apteryx* (ἄ, priv. + πτέρυξ, wing).
- Melanobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 476.
 Type, *Bucco bidentatus* Shaw (= *Lybius* Hermann).
 [Capitonidæ.]
Μέλας (μελαν-), black; + *Bucco*.
- Melanocarbo** BERNSTEIN, in Musschenbroek, Dagboek van Dr. H. A. Bernstein's laatste Reis van Ternate, etc., 1883, p. 119.
 Type, *Hydrocorax melanoleucus* Vieillot . . . [Phalacrocoracidæ.]
Μέλας (μελαν-), black; + *Carbo* (*carbo*, coal, charcoal).

- Melanolarus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 359.
New name for *Melagavia* Bonaparte, on grounds of purism. [Laridæ.]
Μέλας (μελαν-), black; + *Larus* (λάρος, a gull).
- Melanophox** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.
Type, *Ardea calcicolata* Du Bus (= *Ardea ardesiaca* Wagler). [Ardeidæ.]
Μέλας (μελαν-), black; φώνξ, a species of heron.
- Melanospiza** RIDGWAY, Proc. U. S. Nat. Mus., XIX, Mar. 15, 1897, p. 466 (note).
Type, *Loricilla richardsoni* Cory [Fringillidæ.]
Μέλας (μελαν-), black; σπιζα, a finch.
- Melanosterna** BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 373.
Type, *Sterna anathetus* Scopoli [Laridæ.]
Μέλας (μελαν-), black; + *Sterna*.
- Melignomon** REICHENOW, Ornith. Monatsb., VI, Feb., 1898, p. 22.
Type, *Melignomon zenkeri* Reichenow [Indicatoridæ.]
Μέλι, honey; γνώμων, an inspector, guardian.
- Mellopitta** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 466.
New name for *Melampitta* Schlegel, preoccupied. . . . [Pittidæ.]
(See *Coracocichla*.)
Mel (mell-), honey; + *Pitta*.
- † **Mesembriornis** MORENO, Breve Reseña Prog. Mus. La Plata, segundo semestre 1888, 1889, p. 29.
Type, *Mesembriornis milne-edwardsii* Moreno .. [Sternornithes.]
Μεσημβρία, the south; ὄρνις, bird.
- Mesolophus** BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 247.
Type, *Vanga flaviventris* Tickell [Timaliidæ.]
Μέσος, middle; λόφος, crest.
- Mesophox** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.
Type, *Ardea intermedia* Wagler. [Ardeidæ.]
Μέσος, middle; φώνξ, a species of heron.
- † **Mesopteryx** HUTTON, Trans. New Zealand Inst., XXIV, May, 1892, p. 129.
Type, *Dinornis didiformis* Owen [Dinornithidæ.]
Μέσος, middle; + *Apteryx* (ἀ, priv. + πτέρυξ, wing).
- Mesoscolopax** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 371.
Type, *Numenius minutus* Gould [Scolopacidæ.]
Μέσος, middle; + *Scolopax* (σκολόπαξ, a woodcock).
- Metallococcyx** REICHENOW, Ornith. Monatsb., IV, Apr., 1896, p. 54.
Type, *Cuculus smaragdinus* Swainson [Cuculidæ.]
Μέταλλον, a metal; κόκκυξ, a cuckoo.

- †**Metapteryx** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 453.
Type, *Metapteryx bifrons* De Vis [*Apterygidae*.]
Μετὰ, beyond; + *Apteryx* (*ἀ*, priv. + *πτέρυξ*, wing).
- Mezobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 477.
Type, *Bucco duraucei* Lesson [*Capitonidae*.]
Μέσος, middle; + *Bucco*.
- Mezotreron** SHARPE, Hand-list of Birds, I, 1899, p. 56.
Type, *Ptilopus dohertyi* Rothschild [*Treronidae*.]
Μέσος, middle; + *Treron* (*τρήρων*, a dove).
- Micranous** SAUNDERS, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xix.
Type, *Sterna tenuirostris* Temminck [*Laridae*.]
Μικρός, small; + *Anous* (*ἄνοος*, silly, stupid).
- Micropelia** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.
New name for *Scardafella* Bonaparte, on grounds of purism. [*Peristeridae*.]
Μικρός, small; *πέλεια*, a dove.
- Microsarcops** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 133.
Type, *Pluvianus cinerea* Blyth [*Charadriidae*.]
Μικρός, small; *σάρξ*, flesh; *ὤψ*, face.
- Microstictus** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 489.
New name for *Lichtensteinipicus* Bonaparte, on grounds of purism [*Picidae*.]
Μικρός, small; *στικτός*, marked, spotted.
- Microtribonyx** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxix.
Type, *Gallinula ventralis* Gould [*Rallidae*.]
Μικρός, small; + *Tribonyx* (*τρίβειν*, to rub; *ὄνυξ*, claw).
- Micruria** GRANT, Catal. Birds Brit. Mus., XXVI, 1898, p. 594.
Type, *Brachyramphus hypoleucus* Xantus (first species mentioned). (See *Eudomychura*) [*Alcidae*.]
Μικρός, small; + *Uria*.
- †**Milnea** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 169.
Type, *Milnea gracilis* Lydekker [*Edicnemidae*.]
Named for Alphonse Milne-Edwards.
- Mimetes** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 303.
New name for *Mimus* Boie [*Mimidae*.]
Μιμητής, an imitator.
- Mitrospingus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Tachyphonus cassini* Lawrence [*Tanagridae*.]
Μίτρα, a miter; *σπίγγος* (= *σπίνος*), a kind of finch.
- †**Moa** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
Type, *Dinornis giganteus* Owen [*Dinornithidae*.]
Moa, its New Zealand name.

- Monedula** LINNÆUS, in Hasselquist, Reise nach Palästina, 1762, p. 294.
Type, *Upupa pyrrhocorax* Linnæus [Corvidæ.]
Monedula, a jackdaw.
- Monilipitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xvii (introd.).
Type, *Pitta arquata* Gould [Pittidæ.]
(A subgenus of *Pitta*.)
Monile, a necklace, collar; + *Pitta*.
- †**Movia** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
Type, *Dinornis ingens* Owen [Dinornithidæ.]
From *Moa*, its New Zealand name.
- Mülleria** BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 96.
Type, *Napothera bicittata* Bonaparte [Timaliidæ.]
Named for Salomon Müller.
- †**Mullerornis** MILNE-EDWARDS and GRANDIDIER, Comptes-Rendus Acad. Sci., CXVIII, 1894, p. 125.
Type, *Mullerornis betsilei* Milne-Edwards and Grandidier (first species mentioned) [Epyornithidæ.]
Named for M. Georges Muller.
- Musciparus** REICHENOW, Ornith. Monatsb., V, Feb., 1897, p. 25.
Type, *Musciparus tappenbecki* Reichenow [Muscicapidæ.]
Musca, a fly; + *Parus* (*parus*, a titmouse).
- Mustoxydes** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Francolinus* Stephens [Phasianidæ.]
- Mychrorynchus** LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.
Type¹ [Trochilidæ.]
Μικρός, small; *ῥύγχος*, beak.
- Myiopagis** SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, Dec., 1888, p. 26.
Type, *Elainca placens* Sclater [Tyrannidæ.]
Mvîa, a fly; *παγίς*, a trap.
- Myiosobus** REICHENOW, Journ. für Orn., Apr., 1891, p. 210.
Type, *Myiosobus fulricauda* Reichenow [Muscicapidæ.]
Mvîa, a fly; *σοβέω*, to drive away.
- Myospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
Type, *Fringilla manimbe* Lichtenstein [Fringillidæ.]
Mvîs, a mouse; *σπίζα*, a finch.
- Myrmochanes** ALLEN, Bull. Amer. Mus. Nat. Hist., II, Mar. 22, 1889, p. 95.
Type, *Myrmochanes hypoleucus* Allen [Formicariidæ.]
Μύρμηξ, an ant; *χαίνω*, I gape, yawn, snap.

¹Proposed as a subgenus or "race" of *Ornismyia*, with the following species: *O. heteropogon* Boissonneau, *O. iris* Lesson ("Or. cupripennis, Bourcier.???"), *O. phabe* Lesson and Delattre, *O. rhami* Lesson, *O. parzudaki* Lesson, *O. michroryncha* Boissonneau.

- Mystrothraupis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 313.
New name for *Ajaja* Reichenbach, on grounds of purism.
[*Platycidae*.]
Μύστρον, a spoon; *ῥάμφος*, bill.
- Myza** MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 11.
Type, *Myza sarasinorum* Meyer and Wiglesworth.
[*Meliphagidae*.]
Μυζάω, I suck.
- Nannochordeiles** HARTERT, Ibis, ser. 7, II, July, 1896, p. 374.
Type, *Chordeiles pusillus* Gould -----[*Caprimulgidae*.]
Νάννος, dwarf; + *Chordeiles* (*χορδή*, a harp string; *δειλη*, evening).
- Nannopterum** SHARPE, Hand-list of Birds, I, 1899, p. 235.
Type, *Phalacrocorax harrisi* Rothschild---[*Phalacrocoracidae*.]
Νάννος, dwarf; *πτερόν*, wing.
- †**Necrastur** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 437.
Type, *Necrastur alacer* De Vis-----[*Falconidae*.]
Νεκρός, dead; *astur*, a goshawk.
- †**Necrobyas** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 61.
Type, *Necrobyas harpax* Milne-Edwards (first species mentioned)-----[*Bubonidae*.]
Νεκρός, dead; *βύας*, the owl.
- †**Necropsar** "SLATER," A. GÜNTHER and E. NEWTON, Philos. Trans., 168, 1879, p. 427.
Type, *Necropsar rodericanus* "Slater," A. Günther and E. Newton-----[*Sturnidae*.]
Νεκρός, dead; *ψάρ*, starling.
- †**Necropsittacus** MILNE-EDWARDS, Ann. Sci. Nat. (Zool.), ser. 5, XIX, 1874, p. 18.
Type, *Psittacus rodericanus* Milne-Edwards -----[*Psittacidae*.]
Νεκρός, dead; *ψίττακος*, a parrot.
- Neneba** DE VIS, Ibis, ser. 7, III, July, 1897, p. 384.
Type, *Neneba prasina* De Vis-----[*Meliphagidae*.]
Named from the type locality (Neneba, Mt. Scratchley, Brit. New Guinea).
- Neolesbia** SALVIN, Catal. Birds Brit. Mus., XVI, 1892, p. 145.
Type, *Cyanolesbia nehrkorni* Berlepsch -----[*Trochilidae*.]
Νέος, new; + *Lesbia* (*Λεσβία*, *Lesbian*).
- Neophema** SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 569.
Type, *Psittacus pulchellus* Shaw-----[*Psittacidae*.]
Νέος, new; *φήμη*, voice.

- Neotis** SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.
Type, *Otis ludwigi* Rüppell [*Otididae*.]
Néος, new; + *Otis* (ὠτίς, a kind of bustard).
- Nesacanthis** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, 483.
Type, *Foudia eminentissima* Bonaparte [*Plocidae*.]
Nῆσος, an island; + *Acanthis* (ἀκανθίς, a goldfinch).
- Neshyphantes** SHELLEY, Birds of Africa, I, 1896, p. 36.
Type, *Foudia flavicans* E. Newton [*Plocidae*.]
Nῆσος, island; + *Hyphantos* (ὕφάντης, a weaver).
- Nesierax** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
p. 203.
New name for *Harpe* Bonaparte, preoccupied [*Falconidae*.]
Nῆσος island; *ἰέραξ*, a hawk.
- Nesillas** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 211.
New name for *Ellisia* Hartlaub, preoccupied [*Timaliidae*.]
Nῆσος, island; *ἰλλάς*, a thrush.
- Nesochen** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 126.
Type, *Anser sandvicensis* Vigors [*Anatidae*.]
Nῆσος, island; *χην*, a goose.
- Nesocitites** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 552.
Type, *Picumnus micromegas* Sundevall [*Picidae*.]
Nῆσος, island; *κτίτης*, a colonist, inhabitant.
- Nesœnas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 327.
Type, *Columba mayeri* Marchal [*Columbidae*.]
Nῆσος, island; *οἰνάς*, a wild pigeon.
- Nesolimnas** ANDREWS, Novitates Zoologicae, III, Sept. 18, 1896, p. 266.
Type, *Rallus dieffenbachi* J. E. Gray [*Rallidae*.]
Nῆσος, island; *λιμνάς* (λιμναῖος), marshy, of the mere.
- Nesomimus** RIDGWAY, Proc. U. S. Nat. Mus., XII, Feb. 5, 1890, p. 102.
Type, *Orpheus melanotis* Gould [*Mimidae*.]
Nῆσος, island; + *Mimus* (μῖμος, an imitator).
- Nesotriccus** C. H. TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July,
1895, p. 124.
Type, *Nesotriccus ridgwayi* C. H. Townsend [*Tyrannidae*.]
Nῆσος, island; + *Triccus* (τρίκκος, a small bird).
- Nettalopex** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
Orn., 1890, p. 343.
New name for *Cusarea* Bonaparte, on grounds of purism.
[*Anatidae*.]
Nῆττα, a duck; *ἄλώπηξ*, a fox.
- Notophox** SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiii.
Type, *Ardea nova-hollandiae* Latham [*Ardeidae*.]
Νότος, the south; *φώυξ*, a species of heron.

- Nyctalatinus** "KAUP, 1854," GRAY, Catal. Genera and Subgenera of Birds, 1855, p. 135.
Type, *Nyctalatinus albipunctatus* Kaup (= *Nyctale harrisi* Cassin) [*Bubonidae*.]
- Nycticorax** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 59.
Type, *Nycticorax infaustus* Forster (= *Ardea nycticorax*).
[*Ardeidae*.]
Νύξ (*νυκτ*-), night; *κόραξ*, a raven.
- Nyctimene** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.
New name for *Macabra* Bonaparte [*Bubonidae*.]
Νύξ (*νυκτ*-), night; *μήνη*, the moon.
- Œcnas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.
Type, *Columba nigrirostris* Selater (first species mentioned)
(A subgenus of *Columba*) [*Columbidae*.]
Οἶνος, wine; *οινάς*, a wild pigeon.
- Œnolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Rallina isabellina* Schlegel [*Rallidae*.]
Οἶνος, wine; *λιμνάς* (*λιμναῖος*), marshy, of the mere.
- Œnopopelia** BLANFORD, Fauna of Brit. India (Birds), IV, 1898, p. 47.
Type, *Columba tranquebarica* Hermann [*Peristeridae*.]
Οἶνωπός, wine-colored; *πέλεια*, a dove.
- Onychornis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Megalonyx* "d'Orbigny" [*Pteroptochidae*.]
" *Ονυξ* (*όνυχ*-), a claw; *ὄρνις*, bird.
- Ophryornis** BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 101.
Type, *Setaria albigularis* Blyth [*Timaliidae*.]
" *Ὀφρύς*, eyebrow; *ὄρνις*, bird.
- † **Opisthodaetylus** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 453.
Type, *Opisthodaetylus patagonicus* Ameghino .. [*Stercorinithes*.]
" *Ὀπισθοδάκτυλος*, with fingers bent backward.
- Oreoctistes** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 388.
Type, *Oreoctistes leucops* Sharpe [*Timaliidae*.]
" *Ὀρος* (*ὄρε*-), mountain; *κτίστης*, a settler.
- Oreospiza** RIDGWAY, Manual N. A. Birds, ed. 2, Apr. 2, 1896, p. 605.
Type, *Fringilla chlorura* Audubon [*Fringillidae*.]
" *Ὀρος* (*ὄρε*-), mountain; *σπίζα*, finch.
- Oreospiza** DE VIS, Ibis, ser. 7, III, July, 1897, p. 388.
Type, *Oreospiza fuliginosa* De Vis (see *Oreostruthus*).
[*Ploceiidae*.]
" *Ὀρος* (*ὄρε*-), mountain; *σπίζα*, finch.

Oreostruthus DE VIS, Ibis, ser. 7, IV, Jan., 1898, p. 175.

New name for *Oreospiza* De Vis, preoccupied [*Ploceide.*]

"*Όρος* (*όρε*-), mountain; *στρουθός*, sparrow.

Ornatipitta ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Turdus guajanus* Müller [*Pittidæ.*]
(A subgenus of *Pitta*.)

Ornatus, decorated, adorned; + *Pitta*.

†**Ornithodesmus** SEELEY, Quart. Journ. Geol. Soc., XLIII, 1887, p. 206.

Type, *Ornithodesmus clunienus* Seeley [*Incertæ sedis.*]

"*Όρνις* (*όρνιθ*-), a bird; *δεσμός*, a bond.

Oronertus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 272.

New name for *Phalcobernus* Lafresnaye, on grounds of purism.
[*Falconide.*]

"*Όρος*, mountain; *νέπτος*, a bird of prey.

†**Orthocnemus** MILNE-EDWARDS, Comptes-Rendus Second Congrès Ornith. Int., II, 1892, p. 74.

Type, *Orthocnemus gallicus* Milne-Edwards (first species mentioned). (See *Idiornis*) [*Incertæ sedis.*]

"*Όρθός*, straight; *κνήμη*, leg.

Ortholophus GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 424.

Type, *Buceros albocristatus* Cassin (first species mentioned).

[*Bucrotide.*]

"*Όρθός*, straight, upright; *λοφος*, crest.

Ortygonax HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 321.

Type, *Rallus rytirhynchus* Vieillot (first species mentioned).

[*Rallide.*]

"*Όρτυξ* (*όρτυγ*-), a quail; *ἄναξ*, king.

Ortygops HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Coturnicops* Bonaparte, on grounds of purism.

[*Rallide.*]

"*Όρτυξ* (*όρτυγ*-), a quail; + *ὦψ*.

Oryzivora JERDON, Birds of India, II, 1863, p. 359.

Type, *Oryzivora leucotis* "Blyth," Jerdon [*Ploceide.*]

Oryza, rice; *vorare*, to devour.

†**Osteornis** GERVAIS, Bull. Soc. Philomath. de Paris, III, 1844, pp. 68-69.

Type, *Osteornis ardeaceus* Gervais (first species mentioned).

[*Incertæ sedis.*]

"*Όστέον*, bone; *όρνις*, bird.

Ostiarius GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for "*Psilopus* Oken, Gould" [*Muscicapilæ.*]

Ostiarius, a doorkeeper.

Othyphantes SHELLEY, Birds of Africa, I, 1896, p. 37.

Type, *Sycobrotus reichenowi* Fischer -----[*Ploceidae*.]
ὄτυς (*ὄτ-*), ear; + *Hyphantes* (*ὕφάντης*, a weaver).

†**Owenornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 64.

Type, *Owenornis affinis* Moreno and Mercerat (first species mentioned) -----[*Stereornithes*.]

Named for Richard Owen.

Oxytelia SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 490.

Type, *Peristera cyanopsis* Pelzeln -----[*Peristeridae*.]
ὄξυς, sharp, keen; *πέλεια*, a dove.

Pachycephalixus BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 241.

Type, *Muscicapa sinensis* Gmelin -----[*Pycnonotidae*.]
Pachycephala (*παχύς*, thick; *κεφαλή*, head), + *Leus* (*ἔξος*, a miser).

†**Pachyornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 316.

Type, *Dinornis elephantopus* Owen -----[*Dinornithidae*.]
Παχύς, thick; *ὄρνις*, bird.

Pachyphantes SHELLEY, Birds of Africa, I, 1896, p. 36.

Type, *Hyphantornis superciliosus* Shelley -----[*Ploceidae*.]
Παχύς, thick; + *Hyphantis* (*ὕφάντης*, a weaver).

†**Palaeo-casuarius** FORBES, Trans. New Zealand Inst., XXIV, May, 1892, p. 189.

A *nomen nudum* here -----[*Dinornithidae*.]

Παλαιός, ancient; + *Casuarius* (*kassuaris*, a native name).

†**Palaeociconia** MORENO, Breve Reseña Prog. Mus. La Plata segundo semestre 1888, 1889, p. 30.

Type, *Palaeociconia australis* Moreno -----[*Stereornithes*.]
Παλαιός, ancient; + *Ciconia* (*ciconia*, a stork).

†**Palaeocolymbus** SEELEY, Proc. Cambridge Philos. Soc., I, 1864, p. 228 (*nomen nudum*).

Type, *Palaeocolymbus barretti* Seeley (*nomen nudum*).

[*Enaliornithidae*.]

Παλαιός, ancient; + *Colymbus* (*κόλυμβος*, a diver).

†**Palaeocorax** FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.

Type, *Corvus moriorum* Forbes -----[*Corvidae*.]
Παλαιός, ancient; *κόραξ*, a raven.

†**Palaeocryptonyx** DEPÉRET, Comptes Rendus Acad. Sci., CXIV, Mar., 1892, p. 691.

Type, *Palaeocryptonyx donnezani* Depéret -----[*Phasianidae*.]
Παλαιός, ancient; + *Cryptonyx* (*κρυπτός*, hidden; *ὄνυξ*, claw).

†**Palaeogrus** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 362.

Type, *Palaeogrus princeps* Portis -----[*Gruidae*.]
Παλαιός, ancient; + *Grus* (*grus*, a crane).

†**Palæolimnas** FORBES, *Ibis*, ser. 6, V, Oct., 1893, p. 544.

Type, *Fulica newtoni* Milne-Edwards.....[*Rallidae*.]

Παλαιός, ancient; *λιμνάς* (*λιμναῖος*), marshy, of the mere.

†**Palæopelargus** DE VIS, *Proc. Linn. Soc. N. S. Wales*, ser. 2, VI, May 23, 1892, p. 441.

Type, *Palaopelargus nobilis* De Vis.....[*Ciconiida*.]

Παλαιός, ancient; *πελαργός*, a stork.

†**Palæospheniscus** MORENO and MERCERAT, *Anales Mus. La Plata* (Paleon. Argen., I), 1891, p. 29.

Type, *Palæospheniscus patagonicus* Moreno and Mercerat.¹

[*Spheniscida*.]

Παλαιός, ancient; + *Spheniscus* (*σφηνίσκος*, *σφήν*, a wedge).

†**Palæotetrix** SHUFELDT, *Journ. Acad. Nat. Sci. Phila.*, XI, 1892, p. 415.

Type, *Palæotetrix gilli* Shufeldt.....[*Tetraonida*.]

Παλαιός, ancient; *τέτριξ*, a grouse.

†**Palaëtus** MILNE-EDWARDS, *Rech. Ois. Foss. France*, II, 1870, p. 571 (a *nomen nudum* here).

Type, *Palaëtus rapax* Milne-Edwards (a *nomen nudum* here).

[*Falconida*.]

Παλαιός, ancient; *ἀετός*, eagle.

Pallasicorbo COUES, *Osprey*, III, May (June 10), 1899, p. 144.

Type, *Phalacrocorax perspicillatus* Pallas.....[*Phalacrocoracida*.]

(A subgenus of *Phalacrocorax*.)

Pallas,² one of the giants; + *Corbo* (*corbo*, coal, charcoal).

Palmeria ROTHSCHILD, *Ibis*, ser. 6, V, Jan., 1893, p. 113.

Type, *Palmeria mirabilis* Rothschild (= *Himatione dolci* Wilson).

[*Drepanida*.]

Named for Henry Palmer.

Palumbis FORSTER, *Synoptical Catalogue of British Birds*, 1817, p. 55.

Type, *Columba palumbus* Linnæus.....[*Columbida*.]

Palumbus, a wood pigeon.

Pan RICHMOND, *Auk*, XVI, Jan., 1899, p. 77.

New name for *Tetragonops* Jardine, preoccupied (see *Semnor-nis*).....[*Capitonida*.]

Πάν, *Pan*, a god of the forest.

Paramythia DE VIS, *Ann. Report Brit. New Guinea* (1890-91), 1892, App. CC, p. 95.

Type, *Paramythia montium* De Vis.

[*Sturnida* (= *Paramythiida*).]

Παραμυθία, encouragement, consolation.

¹ *P. antarcticus* Moreno and Mercerat is the first species mentioned, but Ameghino has selected this as the type of another genus (*Paraptenodytes*). *Palæospheniscus patagonicus*, which is second on the list, may perhaps stand as the type of the genus.

² Or for Peter Simon Pallas.

- †**Paraptenodytes** AMEGHINO, *Revista Argentina Hist. Nat.*, I, 1891, p. 447.
Type, *Palaeospheniscus antarcticus* Moreno and Mercerat.
[*Spheniscidae*.]
Παρά, beside; + *Aptenodytes* (ἀπτήν, wingless; δύτες, diver).
- Pardaliparus** DE SELYS-LONGCHAMPS, *Bull. Soc. Zool. France*, IX, 1884, p. 73.
Type, *Parus elegans* Lesson (first species mentioned) - [*Paridae*.]
Pardalotus + *Parus*.
- Parnopio** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 314.
New name for *Hagedashia* Bonaparte, on grounds of purism.
[*Ibididae*.]
- Paryphophorus** MEYER, *Ibis*, ser. 6, II, Oct., 1890, p. 420.
Type, *Craspedophora duivenbodei* Meyer [*Paradiseidae*.]
Παρυφή, a hem or border; φορέω, I bear.
- †**Patagornis** MORENO and MERCERAT, *Anales Mus. La Plata (Paleon. Argen.)*, I, 1891, p. 55.
Type, *Patagornis marshi* Moreno and Mercerat (first species mentioned) [*Stereornithes*.]
Patagonia; ὄρνις, bird.
- Pecuarius** TEMMINCK, *Manuel d'Ornithologie*, ed. 2, III, 1835, p. 76.
Substitute name for *Pastor* Temminck [*Sturnidae*.]
Pecuarius, relating to cattle, a grazier.
- Pedilorhynchus** REICHENOW, *Journ. für Orn.*, Jan., 1892, p. 34.
Type, *Pedilorhynchus stuhlmanni* Reichenow ... [*Muscicapidae*.]
Πέδιλον, a sandal; ῥύγχος, bill.
- †**Pelagornis** SEELEY, *Ann. Mag. Nat. Hist.*, ser. 3, XVIII, Aug., 1866, p. 110 (a *nomen nudum* here).
Type, *Pelagornis barretti* Seeley (a *nomen nudum* here).
[*Eualiornithidae*.]
- †**Pelargocrex** MILNE-EDWARDS, *Bull. Brit. Orn. Club*, I, July 4, 1893, p. liv.
New name for *Pelargopsis* Milne-Edwards, preoccupied (see *Pelargorappus*) [*Ciconiidae*.]
Πελαργός, a stork; + *Crex* (κρέξ, a crane).
- †**Pelargodes** LYDEKKER, *Proc. Zool. Soc. Lond.*, Apr. 1, 1892, p. 477.
New name for *Pelargopsis* Milne-Edwards, preoccupied.
[*Ciconiidae*.]
Πελαργός, a stork; εἶδος, form.
- †**Pelargopappus** STEJNEGER, *Standard Nat. History*, IV (Birds), 1885, p. 163.
New name for *Pelargopsis* Milne-Edwards, preoccupied.
[*Ciconiidae*.]
Πελαργός, a stork; πάππος, a grandfather.

- †**Pelargopsis** MILNE-EDWARDS, Rech. Ois. Foss. France, I, 1867, p. 460.
 Type, *Pelargopsis magna* Milne-Edwards (see *Pelargodes*; *Pelargoceræ*; *Pelargopappus*) [*Ciconiidae*.]
Πελαργός, a stork; ὄψις, look, appearance.
- Pelasia** ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 74.
 Type, *Hirundo pelagica* Linnæus [*Micropodidae*.]
Πελασία, *Pelasia*, an early name of Greece.
- †**Pelecynornis** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 448.
 New name for *Psilopterus* Moreno and Mercerat. [*Stercorornithes*.]
- Peltohyas** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 307.
 Type, *Eudromias australis* Gould [*Charadriidae*.]
Πέλτη, a shield; + *Hyas*.
- Penthetriopsis** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 220.
 Type, *Loxia moineau* Müller (first species mentioned).
 [Ploceidae.]
Penthetria (πενθήτρια, a mourner); + ὄψις, aspect.
- Perissocephalus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.
 New name for *Gymnocephalus* Isid. Geoffroy St.-Hilaire, preoccupied (see *Calvifrons*) [*Cotingidae*.]
Περισσός, wonderful; κεφαλή, head.
- Perissornis**¹ OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.
 New name for *Dilophus* Vieillot, preoccupied [*Sturnidae*.]
Περισσός, wonderful; ὄρνις, bird.
- Perissospiza** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Apr. 23, 1900, p. 227.
 New name for *Pycnorhamphus* Hume, preoccupied.
 [Fringillidae.]
Περισσός, wonderful; σπιζα, a finch.
- Phacelias** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 67.
 New name for *Kelaartia* Blyth, on grounds of purism.
 [Timaliidae.]
Φάκελος, a bundle.
- Phaedrus** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Iros* Temminck [*Pycnonotidae*.]
Φαιδρός, beaming, radiant.
- Phaeospiza** BOCAGE, Journ. Sci. Math., Phys. e Nat. Lisboa, XII, no. xvii, Jan., 1888, p. 148.
 Type, *Phaeospiza thomensis* Bocage (= *Ligurnus rufobrunneus* Gray) [*Fringillidae*.]
Φαίος, dusky; σπιζα, a finch.

¹ *Perissornis* will have to give way to *Creatophora* Lesson, 1847.

Phassa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.

New name for *Ramphiculus* Bonaparte, on grounds of purism.
[*Treronidae*.]

Φάσσα, the wood pigeon.

Philomela LINCK, Beschr. Natur. Samml. Univers. Rostock, I, 1806, p. 3.

Substitute name for *Sylvia* Bechstein[*Turdidae*.]

Phoenicurus FORSTER, Synoptical Catalogue of British Birds, 1817, p. 16.

Type, *Phoenicurus ruficilla* Forster (= *Motacilla phoenicurus* Linnæus)[*Turdidae*.]

Pholia REICHENOW, Ornith. Monatsb., VIII, July, 1900, p. 99.

Type, *Pholia hirundinea* Reichenow[*Muscicapidae*.]
Φωλία (φωλεία), life in a hole or cave.

† **Phorusrhacos**¹ AMEGHINO, Enum. List. Especies Mam. Fósiles, Dec., 1887, p. 24.

Type, *Phorusrhacos longissimus* Ameghino[*Stereornithes*.]
Φορός, bearing; ράκος, a ragged garment.

Phyllopezus "SHARPE MS.," SHELLEY, Birds of Africa, I, 1896, p. 187.

Type, *Parra africana* Gmelin (see *Actophilus*)[*Jacunidae*.]
Φύλλον, a leaf; πεζός, walking.

† **Physornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 576.

Type, *Physornis fortis* Ameghino[*Stereornithes*.]
Φῦσα, bellows; ὄρνις, bird.

Piculus ISID. GEOFFROY ST.-HILAIRE, Nouv. Ann. du Mus. d'Hist. Nat., ser. 3, I, 1832, p. 396.

Type, *Yunx minuta* Vieillot[*Picidae*.]
Piculus, dim. of *picus*, a woodpecker.

Piculus HODGSON, Journ. Asiat. Soc. Bengal, X, Pt. 1, 1841, p. 21.

New name for *Vivia* Hodgson, on grounds of purism. [*Picidae*.]
Piculus, dim. of *picus*, a woodpecker.

Piculus BREHM, Isis, Sept., 1842, p. 650.

Type, *Picus minor* Linnæus[*Picidae*.]
Piculus dim. of *picus*, a woodpecker.

Pionites HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 231.

New name for *Cuica* Lesson, on grounds of purism.
[*Psittacidae*.]

Πίων, plump, sleek; with suffix *ites*.

¹ This has been amended to *Phororhacos* Ameghino, Revista Argentina Hist. Nat., i, Aug., 1891, p. 256; also to *Phororhacis*, Selater, Ibis, Jan., 1893, p. 41 (note), where the derivation is assumed to be φορέω, and ρακίς.

- Pisynolimnas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.
New name for *Erythra* Reichenbach, on grounds of purism.
[*Rallidae*.]
Πίσυνοσ, confiding in; *λιμνάς*, marshy, of the mere.
- Pithecophaga** GRANT, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xvi.
Type, *Pithecophaga jafferyi* Grant.....[*Falconidae*.]
Πιθήκος, a monkey; *φαγεῖν* (*φάγος*), to eat.
- Plagiospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
Type, *Aimophila superciliosa* Swainson.....[*Fringillidae*.]
Πλάγιος, oblique; *σπίζα*, a finch.
- Plectroperdix** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 293.
New name for *Heperburnia* Bonaparte, on grounds of purism.
[*Phasianidae*.]
Πλήκτρον, a cock's spur; + *Perdix* (*πέρδιξ*, a partridge).
- Plectrura** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Oxyura* Bonaparte.....[*Anatidae*.]
Πλήκτρον, a paddle; *ούρά*, tail.
- Poecilotreron** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.
New name for *Sylphidæna* Bonaparte, on grounds of purism.
[*Treronidae*.]
Ποικίλος, spotted, mottled; *τρήρων*, a dove.
- Pogonites** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 226.
New name for *Buccanodon* "Verreaux" Hartlaub, on grounds of purism.....[*Capitonidae*.]
Πωγωνίτης, bearded.
- Polemaëtus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.
Type, *Falco bellicosus* Daudin.....[*Falconidae*.]
Πόλεμος, war; *ἀετός*, eagle.
- Poliolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Porphyrus cinereus* Vieillot.....[*Rallidae*.]
Πολιός, gray; *λιμνάς* (*λιμναῖος*), marshy.
- Polionetta** OATES, Manual Game Birds of India, Pt. 2, May 18, 1899, p. 149.
Type, *Anas puceilorhyncha* Forster.....[*Anatidae*.]
Πολιός, gray; *νήττα*, a duck.
- Poliopsar** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 476.
Type, *Sturnus sericeus* Gmelin (see *Spodiopsar*)....[*Sturnidae*.]
Πολιός, gray; *ψάρ*, starling.

Poospizopsis BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 208.

Type, *Poospiza cesar* Selater and Salvin. [Fringillidæ.]

Poospiza (πόα, grass; σπιζα, finch); + ὄφτις, aspect.

Porphyreicephalus REICHENOW, Vogelbild., Syst. Verz., 1883, p. 1.

Emendation of *Purpuricephalus* Bonaparte [Psittacidæ.]

Πορφύρα, purple; κεφαλή, head.

Porphyriornis ALLEN, Bull. Amer. Mus. Nat. Hist., IV, May 9, 1892, p. 57.

Type, *Porphyriornis comeri* Allen [Rallidæ.]

Πορφύρα, purple; ὄρνις, bird.

Porzanula FROHAWK, Ann. and Mag. Nat. Hist., ser. 6, IX, Mar., 1892, p. 247.

Type, *Porzanula palmeri* Frohawk [Rallidæ.]

Porzanula, dim. of *Porzana*.

Potamocheilidon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 355.

New name for *Scena* Blyth, on grounds of purism . . . [Laridæ.]

Ποταμός, river; χελιδών, a swallow.

Pratincola DEGLAND, Ornithologie Européenne, II, 1849, p. 106.

Type, *Hirundo pratincola* Linnæus (first species mentioned).

[Cursoridæ.]

Pratum, a meadow; *incola*, inhabitant.

Premnoplex CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 339.

Type, *Margarornis brunneescens* Lawrence . . . [Dendrocolaptidæ.]

Πρέμνον, a stump, tree trunk; πλήσσω, to strike.

Prionornis "SCLATER MS.," SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, May, 1895, p. 454.

New name for *Prionirhynchus* Selater, preoccupied.

[Momotidæ.]

Πρίων, a saw; ὄρνις, bird.

Prister HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 350.

Type, *Mergus brasiliensis* Vieillot [Anatidæ.]

Πριστήρ, a sawyer.

† **Procionia** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.

Type, *Procionia lydekkeri* Ameghino [Ciconiidæ.]

Pro, before; + *Ciconia* (*ciconia*, a stork).

† **Proherodius** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 60.

Type, *Proherodius oweni* Lydekker [Ardeidæ?]

Πρό, before; + *Herodius* (ἔρωδιός, heron).

† **Propelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 65.

Type, *Propelargus cayluxensis* Lydekker [Ciconiidæ.]

Πρό, before; πελαργός, a stork.

- † **Prophaethon** ANDREWS, Proc. Zool. Soc. Lond., Pt. 3, Oct. 1, 1899, p. 776.
Type, *Prophaethon shrubsalei* Andrews [*Phaethontidae*.]
Πρό, before; + *Phaethon*.
- Prosprietus** CABANIS, Journ. für Orn., Jan., 1892, p. 126.
Type, *Pachyrhamphus albinucha* Burmeister (see *Xenopsaris*).
[*Cotingidae*.]
Προσποιητός, assumed, pretended, adopted.
- † **Protibis**¹ AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.
Type, *Protibis enemialis* Ameghino [*Plataleidae*.]
Πρωτός, the first; + *Ibis* (ἰβίς, the ibis).
- † **Protornis** H. VON MEYER, Neues Jahrb. für Mineralogie, 1844, p. 338.
Type, *Protornis glarniensis* von Meyer [*Incertae sedis*.]
Πρωτός, the first; ὄρνις, bird.
- Psaltria** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Salicaria* Selby [*Turdidae*.]
Ψάλτριά, a female harper.
- Pseliophorus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Tachyphonus tibialis* Lawrence [*Fringillidae*.]
Ψέλλιον, armlet, bracelet; φορός, bearing.
- Pseudalaemon** PHILLIPS, Ibis, ser. 7, IV, July, 1898, p. 400.
Type, *Calendula fremantlii* Phillips [*Alaudidae*.]
Ψευδής, false; + *Alaemon* (ἀλήμων, a wanderer, rover).
- † **Pseudapteryx** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 218.
Type, *Pseudapteryx gracilis* Lydekker [*Apterygidae*.]
Ψευδής, false; + *Apteryx* (ἄ, priv. + πτέρυξ, wing).
- Pseudofringilla** HUME, Stray Feathers, I, Feb., 1873, p. 314.
Type, *Indicator xanthonotus* Blyth [*Indicatoridae*.]
Ψευδής, false; + *Fringilla* (*fringilla*, a sparrow).
- Pseudogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
Type, *Grus leucauchen* Temminck [*Gruidae*.]
Ψευδής, false; γέρανος, a crane.
- Pseudoglottis** STEJNEGER, Zeitschr. Ges. Orn., I, Sept., 1884, p. 223 (note).
Type, *Totanus guttifer* Nordmann (= *Pseudototanus* Hume).
[*Scelopacidae*.]
Ψευδής, false; + *Glottis* (*glottis*, a small bird).
- † **Pseudolarus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 446.
Type, *Pseudolarus coccyus* Ameghino (see *Ameghinia*).
[*Stereornithes*.]
Ψευδής, false; + *Larus* (λάρος, a gull).

¹ *Protorhea* Moreno and Mercerat, 1891, described as a bird, has been shown by Ameghino (Revista Argentina Hist. Nat., I, 1891, p. 448) to be a mammal.

Pseudominla OATES, Ibis, ser. 6, VI, Oct., 1894, p. 480.

New name for *Sittiparus* Oates, preoccupied -----[*Timaliide.*]

Ψευδής, false; + *Minla* (*minla*, a Nepalese name).

Pseudomyobius SALVADORI and FESTA, Boll. Mus. Zool. Anat. Comp. Torino, XV, No. 362, Nov. 17, 1899, p. 12.

Type, *Pseudomyobius annectens* Salvadori and Festa.

[*Tyrannide.*]

Ψευδής, false; + *Myobius* (μυῖα, a fly; βάλνω [βει], I go after).

Pseudonestor ROTHSCHILD, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxv.

Type, *Pseudonestor xanthophrys* Rothschild-----[*Drepanide.*]

Ψευδής, false; + *Nestor* (Νέστωρ).

Pseudospingus BERLEPSCH and STOLZMANN, Proc. Zool. Soc. Lond., Aug. 1, 1896, p. 346.

Type, *Dacnis xanthophthalma* Taczanowski (first species mentioned) -----[*Tanagridae.*]

Ψευδής, false; σπίνγγος (= σπίνος), a small bird of the finch kind.

Pseudospiza SHARPE, in Rowley's Ornithological Miscellany, I, Pt. 3, Jan., 1876, p. 207.

Emendation of *Pseudofringilla* Hume -----[*Indicatoride.*]

Ψευδής, false; σπίζα, finch.

† **Pseudosterna** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, N^o. v, May, 1897, p. 237.

Type, *Pseudosterna degener* Mercerat (first species mentioned).

[*Laride.*]

Ψευδής, false; + *Sterna*.

Pseudostruthus OUSTALET, Le Naturaliste, ser. 2, IV, Dec. 1, 1890, p. 274.

Type, *Pseudostruthus gongonensis* Oustalet-----[*Fringillide.*]

Ψευδής, false; στρουθός, sparrow.

Pseudotharrhaleus GRANT, Bull. Brit. Orn. Club, IV, June 29, 1895, p. xl.

Type, *Pseudotharrhaleus caudatus* Grant-----[*Timaliide.*]

Ψευδής, false; + *Tharrhaleus* (θαρράλέος, bold, daring).

Pseuduria SHARPE MS., COUES, Osprey, III, May (June 10), 1899, p. 144.

Type, "Black guillemots with 14 rectrices" (= *Cephus columba* Pallas, etc.) -----[*Alcide.*]

Ψευδής, false; + *Uria*.

Psilomycter HARTERT, Ornith. Monatsb., VII, Oct., 1899, p. 160.

Type, *Trochilus theresie* Da Silva -----[*Trochilide.*]

Ψιλός, naked, bare; μυκτήρ, nose, snout.

† **Psilopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 67.

Type, *Psilopterus communis* Moreno and Mercerat (see *Plecyornis*)-----[*Cathartide* (= *Stereornithes*).]

Ψιλός, bare, naked; πτερόν, wing.

- Psilopus** "TEMME." BONAPARTE, *Consp. Gen. Avium*, I, 1850, p. 141.
 Type, *Bucco hayi* Gray [*Capitonidae*.]
Ψιλόσ, naked; *πούς*, foot.
- Psiloscops** COUES, *Osprey*, III, May (June 10), 1899, p. 144.
 Type, *Scops flammeola* Kaup [*Bubonidae*.]
 (A subgenus of *Megascops*).
Ψιλόσ, bare, smooth; *σκώψ*, a small owl.
- Pteridophora** MEYER, *Bull. Brit. Orn. Club*, IV, Dec. 29, 1894, p. xi.
 Type, *Pteridophora alberti* Meyer [*Paradisæide*.]
Πτερίς, fern; *φέρειν*, to bear.
- Pteronetta** SALVADORI, *Catal. Birds Brit. Mus.*, XXVII, 1895, p. 63.
 Type, *Querquedula hartlaubi* Cassin [*Anatide*.]
Πτερόν, wing; *νήττα*, a duck.
- Pterygocys** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 288.
 New name for *Pteroclorus* Bonaparte [*Pteroclide*.]
Πτέρυξ, wing; *ώκύς*, swift, fleet.
- Ptilocorys** MADARASZ, *Magyar. Madaras Fuz.*, II, 1899, p. 48.
 New name for *Galerida* (emend. *Galerita*) Boie, 1828, not *Galerita* Fabricius, 1801 [*Alaudide*.]
Πτίλον, a feather; *κόρυς*, a lark.
- Ptilolæmus** GRANT, *Catal. Birds Brit. Mus.*, XVII, 1892, p. 392.
 Type, *Buceros tickelli* Blyth (first species mentioned).
 [*Bucerotide*.]
Πτίλον, feather; *λαιμός*, throat.
- Ptiloprora** DE VIS, *Ann. Report Brit. New Guinea (1893-94)*, 1894, App. EE, p. 103.
 Type, *Ptilotis? guisei* De Vis (first species mentioned).
 [*Meliphagide*.]
Πτίλον, feather; *πρόρα*, prow.
- Ptiloxena** CHAPMAN, *Bull. Amer. Mus. Nat. Hist.*, IV, 1892, p. 307.
 Type, *Quiscalus atroviolaceus* d'Orbigny [*Icteride*.]
Πτίλον, feather; *ξένος*, strange.
- Ptocas** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 342.
 New name for *Rufibrenta* Bonaparte, on grounds of purism.
 [*Anatide*.]
Πτωκάς, shy, timorous.
- Ptynx** BLYTH, in Cuvier's *Animal Kingdom*, 1840, p. 175 (note).
 Type, *Strix uralensis* Pallas [*Bubonide*.]
Πτύγξ, a water bird.
- Pulchripitta** ELLIOT, *Monogr. Pittidæ*, ed. 2, Pt. 5, 1895, p. xviii (introd.).
 Type, *Pitta iris* Gould [*Pittide*.]
 (A subgenus of *Pitta*).
Pulcher, beautiful; + *Pitta*.

Rectirostrum REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 32.

Type, *Rectirostrum hypochondriacum* Reichenow. [Timaliide.]
Rectus, straight; *rostrum*, beak.

† **Remiornis** LEMOINE, Rech. Ois. Foss. Environs de Reims, Pt. 2, 1881, p. 158.

Type, *Remiornis heberti* Lemoine. [Gastornithide.]
Remus, an oar; ῥομῖς, bird.

Remiza STEJNEGER, Proc. U. S. Nat. Mus., IX, Feb. 10, 1887, p. 387.

New name for *Aegithalus* Boie, preoccupied. [Paride.]
Remiz, the Polish vernacular name of *Purus pendulinus* Linnæus.

Rhabdochlamys OUSTALET, Bull. Mus. d'Hist. Nat., III, 1897, p. 208.

Type, *Rhabdochlamys dejeani* Oustalet. [Timaliide.]
 ῥάβδος, a rod; χλαμύς, a mantle.

Rhabdotorrhinus MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 6.

Type, *Buceros exaratus* Temminck. [Bucerotide.]
 ῥάβδωτός, striped, streaked; ῥίς, nose.

Rhagoborus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Baillonius* Cassin, on grounds of purism.

[Rampastide.]

ῥάξ (ῥαγο-), a grape; βορός, devouring.

Rhagorhina GLOGER, Hand und Hilfsbuch, I, 1842, p. 360.

Type, *Columba auricularis* Temminck (an artifact).

[Incertæ sedis.]

ῥάξ (ῥαγο-), a grape; ῥίς, nose.

Rhamphotreron HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 279.

New name for *Toria* Hodgson, on grounds of purism.

[Treronide.]

ῥάμφος, beak; + *Treron* (τήρων, a dove).

Rhaphidornis REICHENOW, Ornith. Monatsb., V, Aug., 1897, p. 123.

Type, *Rhaphidornis flavifrons* Reichenow. [Nectariniide.]
 ῥαφίς (ῥαφιδ-), a needle; ῥομῖς, bird.

Rhimphalea HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 338.

New name for *Stiltia* Bonaparte, on grounds of purism.

[Cursoriide.]

ῤιμφαλέος, light, swift.

Rhinornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Rhinomya* Geoffroy St.-Hilaire. [Pteroptochide.]

ῤίς (ῤιν-), nose; ῥομῖς, bird.

- Rhodacanthis** ROTHSCHILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 110.
Type, *Rhodacanthis palmeri* Rothschild [*Drepanidæ*.]
'Ρόδον, rose; + *Acanthis* (ἀκανθίς, a goldfinch).
- Rhodornis** SHELLEY, Birds of Africa, I, 1896, p. 67.
Type *Pholidornis rubrifrons* Sharpe and Ussher ... [*Dicæidæ*.]
'Ρόδον, rose; ὄρνις, bird.
- Rhodothraupis** RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.
Type, *Fringilla celano* Lichtenstein [*Fringillidæ*.]
'Ρόδον, rose; θραυπίς, a little bird, like the goldfinch.
- Rhombura** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 360.
Type, *Columba oxyura* Temminck [*Trogonidæ*.]
'Ρόμβος, rhomb; οὐρά, tail.
- Rhopocichla** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 159.
Type, *Brachypteryx atriceps* Jerdon [*Timaliidæ*.]
Ρώψ (ῥωπός), underwood, brushwood; κίχλη, a thrush.
- Rhopocichla** ALLEN, Bull. Amer. Mus. Nat. Hist., III, Feb. 20, 1891, p. 199.
Type, *Myiothera ardesiaca* Wied [*Formicariidæ*.]
'Ρώψ (ῥωπός), underwood, brushwood; κίχλη, a thrush.
- Rhynchortyx** GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 443.
Type, *Odontophorus spodiostethus* Salvin (first species mentioned) [*Phasianidæ*.]
'Ρύχος, beak; + *Ortyx* (ὄρτυξ, a quail).
- Rhynchosimus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 326.
New name for *Terckia* Bonaparte, on grounds of purism. [*Scolopaciidæ*.]
'Ρύχος, beak; σιμός, uphill, concave.
- Rhynchospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
Type, *Hæmophila stolzmanni* Taczanowski [*Fringillidæ*.]
'Ρύχος, beak; σπιζα, a finch.
- Riparia** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 17.
Type, *Riparia europæa* Forster (= *Hirundo riparia* Linnaeus). [*Hirundinidæ*.]
Riparius, frequenting river banks.
- † **Rostrornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 40.
Type, *Rostrornis floweri* Moreno and Mercerat ... [*Stereornithes*.]
Rostrum, beak; ὄρνις, bird.
- Rothschildia** PERKINS, in Wilson and Evans, Aves Hawaiienses, June, 1899, p. xxi.
Type, *Himatione parva* Stejneger [*Drepanidæ*.]
Named for Mr. Walter Rothschild.

- Rubricapilla BREHM** (see Blyth, Journ. Asiat. Soc. Bengal, XIII, Pt. 2, 1844, p. 954).
Type, the "Redpole linnets" [*Fringillidæ*.]
Rubra, red; *capillus*, hair.
- Rupicola BOGDANOW** "1881," Cons. Av. Imp. Ross., Pt. 1, 1884, p. 1.
Type, *Columba livia* Bonnaterra (first species mentioned).
[*Columbidæ*.]
Rupes, a rock; *incola*, an inhabitant.
- Salvadorina ROTHSCHILD and HARTERT**, Novitates Zoologicae, I, Sept., 1894, p. 683.
Type, *Salvadorina waigiensis* Rothschild and Hartert.
[*Anatidæ*.]
Named for Count Tomaso Salvadori.
- Sapheopipo HARGITT**, Catal. Birds Brit. Mus., XVIII, 1890, p. 378.
Type, *Picus noguchii* Seebohm [*Picidæ*.]
Σαφέως, clearly, plainly; *πιπῶ*, a kind of woodpecker,
- Sarcogeranus SHARPE**, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
Type, *Grus leucogeranus* Pallas [*Gruidæ*.]
Σάρξ (*σάρκ-*), flesh; *γέρανος*, a crane.
- Sarcogyps LESSON**, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
Type, *Vultur pondicerianus* Latham [*Vulturidæ*.]
(A subgenus of *Vultur*).
Σάρξ (*σάρκ-*), flesh; *γύψ*, a vulture.
- Sarganura DE VIS**, Ann. Report Brit. New Guinea (1896-97), 1898, Appendix AA, p. 87.
Type, *Sarganura maculiceps* De Vis [*Meliphagidæ*.]
Σαργάνη, a plait, band; *οὐρά*, tail.
- Sarothrura HEINE**, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 319.
New name for *Corethrura* Reichenbach, preoccupied. [*Rallidæ*.]
Σάρωθρον, a sweeping broom; *οὐρά*, tail.
- Scæorhynchus OATES**, Fauna of Brit. India (Birds), I, Dec., 1889, p. 68.
Type, *Paradoxornis ruficeps* Blyth [*Paridæ*.]
Σκαιός, awkward, clumsy; *ῥύγχος*, beak.
- Scaniornis DAMES**, Bihang K. Vet.-Akad. Handl., XVI, Pt. 4, no. 1, 1890, p. 4, pl.
Type, *Scaniornis lundgreni* Dames [*Incertæ sedis*.]
Σκανά (*σκηνή*), a tent; *ὄρνις*, bird.
- Scenopæetes COUES**, Auk, VIII, Jan., 1891, p. 115.
New name for *Scenopæus* Ramsay, preoccupied.
[*Ptilonorhynchidæ*.]
Σκῆνος, a tent, house; *ποιητής*, maker.
- Schoeniclus FORSTER**, Synoptical Catalogue of British Birds, 1817, p. 51.
Type, *Emberiza schoeniclus* Linnæus [*Fringillidæ*.]

- Sclateria** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.
New name for *Heteroenemis* Sclater, preoccupied. [Formicariidæ.]
Named for Dr. P. L. Selater.
- Scototheres** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 249.
New name for *Lempijius* Bonaparte, on grounds of purism. [Rubonidæ.]
- Σκότος, darkness; θηράω, I hunt.
- Scotothorus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 208.
New name for *Heteropelma* Bonaparte, preoccupied. [Pipridæ.]
Σκότος, darkness; θορῆϊν, to leap.
- Seyrornis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Sialia* Swainson [Turdidæ.]
Σκυρός, gypsum, stucco; ὄρνις, bird.
- Semnornis** RICHMOND, Auk, XVII, Apr., 1900, p. 179.
New name for *Puu* Richmond (vice *Tetraganops* Jardine), preoccupied [Capitonidæ.]
Σεμνός, solemn; ὄρνις, bird.
- Serinopsis** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Fringilla arvensis* Kittlitz [Fringillidæ.]
Serinus (a serin-finch), + ὄψις, appearance.
- Serrator** SPRÜNGLI, in Storr, Alpenreise, I, 1784, p. 74.
Type, *Mergus merganser* Linnæus [Anatidæ.]
- Setogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
Type, *Vultur imperialis* Temminck (first name cited) [Vulturidæ.]
(A subgenus of *Vultur*).
Setu, a bristle. + *Gyps* (γύψ, a vulture).
- Sirycter** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 309.
Type, *Ardea cyanocephala* Molina [Ardeidæ.]
Συρικτήρ, the male crane.
- Sittiparus** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 171.
Type, *Minla cinerea* Blyth (see *Pseudominla*) [Timaliidæ.]
Sitta (σίττη, a kind of woodpecker), + *Parus* (παρος, a titmouse).
- Spathopterus** NORTH, Ibis, ser. 7, I, July, 1895, p. 339.
Type, *Polyteles alexandree* Gould [Psittacidæ.]
Σπάθη, a blade; πτερόν, wing.

- Spermophilopsis** ROTHSCHILD, Bull. Brit. Orn. Club, IV, May 31, 1895, p. xxxvii.
New name for *Drepanorhynchus* Dubois, preoccupied. [Fringillidæ.]
Spermophila (σπέρμα, seed; φιλεῖν, to love); + ὄψις, aspect
- Spiloptera** "BLYTH," JERDON, Birds of India, I, 1862, p. 492.
Type, *Troglodytes punctatus* Blyth. [Troglodytidae.]
(See *Elachura*.)
- Spilospiza** SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 1, VII, 1875, p. 643.
New name for *Erythrospiza* Kaup, preoccupied. [Falconidæ.]
Σπίλος, a spot; σπιζίας, a sparrow-hawk.
- Spodiopsar** SHARPE, Ibis, ser. 6, I, Oct., 1889, p. 580.
New name for *Poliopsar* Sharpe, preoccupied. [Sturnidæ.]
Σπόδιος, ash-colored; ψάρ, a starling.
- Sporathraupis** RIDGWAY, Auk, XV, Oct., 1898, p. 331.
New name for *Hemithraupis* Ridgway, preoccupied. [Tanageridæ.]
Σπορά, seed; θραυπίς, a small bird, like the goldfinch.
- †**Staphylornis** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No. V, May, 1897, p. 233.
Type, *Staphylornis gallardoi* Mercerat (first species mentioned). [Sternornithes.]
Σταφυλή, a bunch of grapes; ὄρνις, bird.
- Stasiasticus** HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.
Type, *Stasiasticus montis* Hartert. [Timaliidæ.]
Στασιαστικός, seditious.
- Stelgidillas** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899, p. 30.
Type, *Andropodus gracilirostris* Strickland. [Pycnonotidæ.]
Στελγίς (στελγιδ-), a scraper; ἰλλάς, a thrush.
- Stelgidostomus** RIDGWAY, Auk, XV July (May 13), 1898, p. 226.
Type, *Saltator marillosus* Cabanis. [Fringillidæ?]
Στελγίς (στελγιδ-), a scraper; στόμα, mouth.
- †**Stephanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893, p. 5.
Type. [Sternornithes.]
Στέφανος, crown; ὄρνις, bird.
- Stephanoxis** SIMON, Catal. Famille des Trochilides, 1897, p. 40.
New name for *Cephalopsis* Loddiges, preoccupied. [Trochilidæ.]
Στέφανος, crown; ὀξύς, sharp, pointed.
- †**Stereornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 45.
Type, *Stereornis rollieri* Moreno and Mercerat (first species mentioned). [Sternornithes.]
Στερεός, solid, fixed; ὄρνις, bird.

- Stictognathus** BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 242.
 Type, *Pycnonotus tairanus* Styan [*Pycnonotide.*]
 Στικτός, marked, spotted; γνάθος, jaw.
- Stictolimnas** BÜTTIKOFER, Notes Leyden Museum, XV, Oct., 1893, p. 274.
 Type, *Stictolimnas sharpei* Büttikofer [*Rallide.*]
 Στικτός, spotted; λιμνάς (λιμναῖος), marshy, of the mere.
- Stictospiza** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 287.
 Type, *Fringilla formosa* Latham [*Ploceide.*]
 Στικτός, spotted; σπιζα, a finch.
- Stilbopsar** REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 31.
 Type, *Stilbopsar stuhlmanni* Reichenow [*Sturnide.*]
 Στίλβω, I shine, glitter; ψάρ, starling.
- Stizoptera** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.
 New name for *Stizoptera* Reichenbach, preoccupied. [*Ploceide.*]
 Στίζω, I mark; πτερόν, wing.
- Stizorhina** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 213.
 New name for *Cassinia* Hartlaub, preoccupied. [*Muscicapide.*]
 Στίζω, I mark; ρίς, nose.
- Styptes** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.
 New name for *Tigrisoma* Swainson [*Ardeide.*]
 Στιπτός, trodden down.
- Sylvicola** BOGDANOW "1881," Consp. Av. Imp. Ross., Pt. 1, 1884, p. 3.
 Type, *Columba fusca* Pallas (first species mentioned).
 [Columbide.]
Sylva, a wood, forest; *icola*, an inhabitant.
- †**Tachyornis** MILNE-EDWARDS, Compte-Rendu Second Congrès Orn. Int., Pt. 2, 1892, p. 66.
 Type, *Tachyornis hirundo* Milne-Edwards (see *Belornis*).
 [Incertæ sedis.]
 Ταχύς, swift; ὄρνις, bird.
- Tantalops** COUES, Key to North American Birds, ed. 2, 1884, p. 653.
 Type, *Tantalus loculator* Linnaeus [*Ciconiide.*]
Tantalus (Τάνταλος, a king of Phrygia); + ὤψ.
- †**Taoperdix** MILNE-EDWARDS, Rech. Ois. Foss. de France, II, 1870, p. 225.
 Type, *Tetrao? pessicti* Gervais [*Phasianide.*]
 Ταῶς, a peacock; πέριδιξ, partridge.
- †**Taphaetus** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 123.
 Type, *Uroetus brachialis* De Vis [*Falconide.*]
 Τάφος, grave; ἀετός, eagle.

- †**Tapinopus** MILNE-EDWARDS, *Compte-Rendu Second Congrès Orn. Int.*, Pt. 2, 1892, p. 79.
Type, *Tapinopus Ellioti* Milne-Edwards (see *Diatropornis*).
[*Incertæ sedis.*]
Ταπεινός, low; *πούς*, foot.
- Tectonornis** SHARPE, *Monogr. Paradiseidæ*, Pt. 1, 1891.
New name for *Scenopæus* Ramsay, preoccupied (see *Scenopæctes*) -----[*Ptilonorhynchidæ.*]
Τέκτων, a builder; *ὄρνις*, bird.
- Telespyza** WILSON, *Ibis*, ser. 6, II, July, 1890, p. 341.
Type, *Telespyza cantans* Wilson -----[*Drepanidæ.*]
Τηλε, far away; *σπιζα*, a finch.
- Temnurus** SWAINSON, "Classification of Birds," II, July, 1837, p. 337.
Type, *Temnurus albicollis* Swainson (= *Trogon temnurus* Temminck) -----[*Trogonidæ.*]
(A subgenus of *Trogon*.)
Τέμνω, I cut; *οὐρά*, tail.
- Terenotreron** HEINE, in Heine and Reichenow, *Nomencl. Mus. Hein. Orn.*, 1890, p. 280.
New name for *Thouarsitreron* Bonaparte, on grounds of purism.
[*Treronidæ.*]
Τέρενος, soft, delicate; + *Treron* (*τρήρων*, a dove).
- Thamnocharis** SCLATER, *Catal. Birds Brit. Mus.*, XV, 1890, p. 310.
Type, *Grallaria dignissima* Sclater and Salvin [*Formicariidæ.*]
Θάμνος, a bush; *χάρις*, grace.
- †**Thegornis** AMEGHINO, *Bol. Inst. Geogr. Argentino*, XV, 1895, p. 598.
Type, *Thegornis musculosus* Ameghino (first species mentioned).
[*Falconidæ.*]
Θήγω, to sharpen; *ὄρνις*, bird.
- Thereiceryx** BLANFORD, *Ibis*, ser. 6, V, Apr., 1893, p. 237.
Type, *Bucco zeylonicus* Gmelin -----[*Capitonidæ.*]
Θέρος, summer; *κήρυξ*, herald.
- Thringorhina** OATES, *Fauna of Brit. India (Birds)*, I, Dec., 1889, p. 155.
Type, *Turdinus guttatus* Tickell -----[*Timaliidæ.*]
Θριγγός, cornice, eaves; *ρίς*, nose.
- Thryolegus** OBERHOLSER, *Proc. Acad. Nat. Sci. Phila.*, June 2, 1899, p. 210.
New name for *Limnophyes* Sclater, preoccupied [*Furnariidæ.*]
Θρύον, a rush; *λέγω*, I lie down.
- Tigriornis** SHARPE, *Bull. Brit. Orn. Club*, V, Dec. 30, 1895, p. xiv.
Type, *Tigrisoma leucolophum* Jardine -----[*Ardeidæ.*]
Τίγρις, tiger; *ὄρνις*, bird.
- Timeta** GISTEL, *Naturgesch. des Thierreichs für höhere Schulen*, 1848, p. ix.
New name for *Leptorhynchus* Du Bus -----[*Recurvirostridæ.*]
Τιμητής, an appraiser.

- †**Titanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893, p. 5.
Type, *Titanornis mirabilis* Mercerat [Stereornithes.]
Τιτάν, Titan; *ὄρνις*, bird.
- Tolmerus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 260.
New name for *Chiquera* Bonaparte, on grounds of purism.
[Falconidæ.]
Τολμηρός, bold.
- †**Tolmodus**¹ AMEGHINO, Revista Argent. Hist. Nat., I, Aug., 1891, p. 157.
Type, *Tolmodus inflatus* Ameghino [Stereornithes.]
Τόλμα, daring, boldness; *ὀδούς*, tooth.
- Tolmolestes** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.
New name for *Spizastur* Lesson, on grounds of purism.
[Falconidæ.]
Τόλμα, daring; *ληστής*, robber.
- Trachylaemus** REICHENOW, Journ. für Orn., 1891, p. 394.
Type, *Capito goffini* Schlegel [Capitonidæ.]
Τραχύς, rough; *λαιμός*, throat.
- Traversia** ROTHSCHILD, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. x.
Type, *Traversia tyalli* Rothschild [Xenicidæ.]
Named for Henry H. Travers.
- Trichocichla** REICHENOW, Journ. für Orn., "Oct.," 1890, p. 489.
Type, *Trichocichla rufa* Reichenow [Timaliidæ.]
Θρίξ (τριχ-), hair; *κίχλη*, thrush.
- Tricholimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Gallirallus lafresnayanus* Verreaux [Rallidæ.]
Θρίξ (τριχ-), hair; *λιμνάς* (λιμναῖος), marshy, of the mere.
- Trichoparadisea** MEYER, Abhandl. und Berichte Mus. Dresden, IV, No. 3, 1893, p. 20.
Type, *Paradisea guiljelmi* Cabanis [Paradisidæ.]
Θρίξ (τριχ-), hair; + *Paradisea*.
- Trigonoceps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
Type, *Vultur occipitalis* Burchell [Vulturidæ.]
(A subgenus of *Vultur*).
Τρίγωνος, three-cornered; + *Caput* (*ceps*), head.
- Trochilus** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 14.
Type, *Trochilus minor* Forster (= *Sylvia rufa* Bechstein).
[Turdidæ.]
- Trygon** BREHM, Handb. Vög. Deutschl., 1831, p. 495.
Type, *Columba migratoria* Linnæus [Columbidæ.]
Τρυγών, the turtle dove.

¹ Here described as a mammal.

Tryzusa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 276.

New name for *Turturana* Bonaparte, on grounds of purism.

[*Columbidae.*]

Τρύζω, I coo like a dove.

Tusalia HODGSON (see Hodgson, Journ. Asiat. Soc. Bengal, XII, Pt. 2, 1843, p. 937).

Same as *Coccyzura* Hodgson -----[*Columbidae.*]

Tusalia, a Nepalese name.

†**Tylopteryx** HUTTON, Trans. New Zealand Institute, XXIV, May, 1892, p. 116.

Type, *Dinornis gracilis* Owen (first species mentioned).

[*Dinornithidae.*]

(A subgenus of *Dinornis.*)

Τύλος, a swelling (in allusion to the top of the skull); + *Apteryx* (ἀ, priv. + πτέρυξ, wing).

Typanus NITZSCH, Observ. Avium Arteria Carotide Communi, 1829, p. 18.

Type *Charadrius aegyptius* Linnaeus -----[*Charadriidae.*]

Τύπανος, a kind of bird.

Tyto HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.

New name for *Myrtha* Bonaparte, on grounds of purism.

[*Bubonidae.*]

Τυτώ, the night owl.

Uocomus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Beauharnesius* Bonaparte, on grounds of purism.

[*Ramphastidae.*]

Οὔλος, curly; *κόμη*, hair.

Uratelornis ROTHSCHILD, Novitates Zoologicae, II, Dec. 30, 1895, p. 479.

Type, *Uratelornis chinacra* Rothschild -----[*Coraciidae.*]

Οὐρά, tail; *τέλος*, complete, perfect; *ὄρνις*, bird.

Urococyx SHELLEY, Catal. Birds Brit. Mus., XIX, 1891, p. 398.

Type, *Phoenicophanus erythrognathus* Hartlaub -----[*Cuculidae.*]

Οὐρά, tail; *κόκκυξ*, a cuckoo.

Urodrepanis SHELLEY, Monograph Nectariniidae, Pt. 1, July, 1876, p. 79.

Type, *Ethopyga christinae* Swinhoe -----[*Nectariniidae.*]

Οὐρά, tail; + *Drepanis* (*δρεπάνη*, a sickle).

Urophlexis STEJNEGER, Proc. U. S. Nat. Mus., XV, Aug. 2, 1892, p. 341.

New name for *Urosphena* Swinhoe, preoccupied ----[*Turdidae.*]

Οὐρά, tail; *φλεξίς*, name of an unknown bird.

- Vestipedes** LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.
 Type¹[*Trochilide*.]
Vestis, a covering; *pes*, the foot.
- Viridonia** ROTHSCHILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 112.
 Type, *Viridonia sagittirostris* Rothschild[*Drepanulide*.]
- Warszewiczia** BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 1), Mar., 1895, p. 224.
 Type, *Heliangelus viola* Gould[*Trochilide*.]
 Named for Josef Warszewicz.
- Xanthixus** OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 274.
 Type, *Pycnonotus flavescens* Blyth[*Pycnonotide*.]
 Ξανθός, yellow; + *Ixus*.
- Xanthochlamys** SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.
 Type, *Amblyornis subularis* Sharpe[*Ptilonorhynchide*.]
 Ξανθός, yellow; χλαμύς, cloak, mantle.
- Xanthoenus** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxvii.
 Type, *Ardea flavicollis* Latham (first species mentioned).
 [Ardeide.]
 Ξανθός, yellow; ὄκνος, bittern.
- Xenopsaris** RIDGWAY, Proc. U. S. Nat. Mus., XIV, Oct. 22, 1891, p. 479.
 Type, *Pachyrhamphus albinucha* Burmeister[*Cotingide*.]
 Ξένος, strange; ψάρ, a starling.
- Zalias** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 362.
 New name for "*Thiellus* (!) Rehb. 1853, nec Glog. 1827."
 [Puffinide.]
 Ζάλη, surf, spray.
- Zapterus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.
 New name for *Euhyas* Sharpe, preoccupied ...[*Charadriide*.]
 Ζα, intensive particle; πτερόν, wing.
- Zarhynchus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.
 New name for *Eucorystes* Selater, preoccupied[*Icteride*.]
 Ζα, intensive particle; ρύγχος, bill.
- Zeledonia** RIDGWAY, Proc. U. S. Nat. Mus., XI, Sept. 20, 1889, p. 537.
 Type, *Zeledonia coronata* Ridgway[*Turdide*.]
 Named for Señor José C. Zeledon.

¹ Proposed as a subgenus or "race" of *Ornismya*, with the following species: *O. vestita* Lesson; *O. pemata* (new here); *O. maniculata* Lesson (new name, = "*O. vestita femina*, Long., Rev. Zool., 1838, p. 314"); *O. glomata* Lesson (new here). *Vestipedes* is equivalent to, and earlier than, *Eriocnemis*.

Zonifer SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 154.

Type, *Charadrius tricolor* Vieillot.....[*Charadriidæ*.]

Ζώνη, a girdle, belt; φέρω, I bear.

Zonophaps SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 207.

Type, *Carpophaga forsteri* Temminck.....[*Treronidæ*.]

(A subgenus of *Carpophaga*).

Ζώνη, a belt, girdle; φάψ, a pigeon.

Zosterornis GRANT, Bull. Brit. Orn. Club, III, June 30, 1894, p. 1.

Type, *Zosterornis whiteheadi* Grant.....[*Timaliidæ*.]

Ζωστήρ, a girdle; ὄρνις, bird.

**CATALOGUE OF GENERA MENTIONED IN THE FOREGOING LIST,
ARRANGED BY FAMILIES.**

[Fossil genera are indicated by italics.]

INCERTÆ SEDIS.

Alcatras.
Barornis.
Belornis.
Camaskelus.
Cimolopteryx.
Cryptornis.
Diatropornis.
Dolychoeix.
E'aphrocnemus.
Eupterornis.
Euryonotus.
Filholornis.
Idiornis.
Loxornis.
Ornithodesmus.
Orthocnemus.
Osteornis.
Protornis.
Rhagorhina.
Scaniornis.
Tachyornis.
Tapinopus.

ÆGIALORNITHIDÆ.

Ægialornis.

ÆPYORNITHIDÆ.

Flacourtia.
Mullerornis.

ALAUDIDÆ.

Chersophilus.
Corydon.
Eremopterix.
Etoimus.
Heliocorys.
Pseudalaemon.
Ptilocorys.

ALCIDÆ.

Endomychura.
Micruria.
Pseuduria.

ANATIDÆ.

Adelonetta.
Alopochen.
Asarcornis.
Centronis.
Chenornis.
Dafilula.
Elasmonetta.
Eoneornis.
Eutelornis.
Gennaeochen.
Hydrobates.
Ilyonetta.
Malacorhynchus.
Nesochen.
Nettalopex.
Plectrura.
Polionetta.
Prister.
Pteronetta.
Ptocas.
Salvadorina.
Serrator.

APTERYGIDÆ.

Metapteryx.
Pseudapteryx.

ARCHÆOPTERYGES.

Griphornis.
Griphosaurus.

ARDEIDÆ.

Ardeacites.

ARDEIDÆ—Continued.

Doriponus.
 Dupetor.
 Erythrocnus.
 Erythrophox.
 Glaucerosdius.
 Heterocnus.
 Hydramassa.
 Leucophox.
 Melanophox.
 Mesophox.
 Notophox.
 Nycticorax.
Proherodius.
 Strycter.
 Styptes.
 Tigriornis.
 Xanthoenus.

ARTAMIDÆ.

Cataphania.

BUBONIDÆ.

Ascalaphia.
 Cetupa.
Necrobias.
 Nyctalatinus.
 Nyctimene.
 Psiloscopus.
 Ptex.
 Scototheres.
 Tyto.

BUCEROTIDÆ.

Cassidix.
 Gymnolæmus.
 Horizocerus.
 Ortholophus.
 Ptilolæmus.
 Rhabdotorrhinus.

CACATUIDÆ.

Kakatoe.

CAMPEPHAGIDÆ.

Diaphoropterus.

CAPITONIDÆ.

Abelterus.
 Aleator.
 Cladurus.
 Erythrobucco.
 Geniates.
 Heliobucco.
 Lignobucco.
 Lybius.
 Melanobucco.
 Mezobucco.
 Pan.

CAPITONIDÆ—Continued.

Pogonites.
 Psilopus.
 Semnornis.
 Thereiceryx.
 Trachylæmus.

CAPRIMULGIDÆ.

Nannochordeiles.

CASUARIIDÆ.

Hypselornis.

CATHARTIDÆ.

Gymnogyps.

CHARADRIIDÆ.

Anomalophrys.
 Dilobus.
 Euhyas.
 Eurypterus.
 Gavia.
 Hyetoceryx.
 Lobibyx.
 Microsarcops.
 Peltohyas.
 Typanus.
 Zapterus.
 Zonifer.

CICONIIDÆ.

Amphipelargus.
 Diplocercus.
 Diplura.
Palaopelargus.
Pelargocrex.
Pelargodes.
Pelargopappus.
Pelargopsis.
Prociconia.
Propelargus.
 Tantalops.

CLADORNITHIDÆ.

Cladornis.

CEREBIDÆ.

Cyanerpes.

COLUMBIDÆ.

Amaurœnas.
 Coccyzœnas.
 Coelotreron.
 Coryphœnas.
 Dendrophaps.
 Dendrotreron.
 Dialiptila.
 Haploenas.
 Leucoenas.
 Nesœnas.
 Oenœnas.

COLUMBIDÆ—Continued.

Palumbis.
Rupicola.
Sylvicola.
Trygon.
Tryzusa.
Tusalia.

COLYMBIDÆ.

Colymbetes.

CORACIIDÆ.

Geranopterus.
Uratelornis.

CORVIDÆ.

Cornix.
Galgulus.
Monedula.
Palvocora.

COTINGIDÆ.

Altiiceps.
Calvifrons.
Carnifex.
Perissocephalus.
Prospoietus.
Xenopsaris.

CRACES.

Gallinuloides.

CRACIDÆ.

Cumana.

CUCULIDÆ.

Clamator.
Dynamopterus.
Leptourus.
Metallococcyx.
Urococcyx.

CURSORIIDÆ.

Pratincola.
Rhimphalea.

DENDROCOLAPTIDÆ.

Deconychura.
Premnoplex.

DICÆIDÆ.

Aemonorhynchus.
Rhodornis.

DICRURIDÆ.

Dissemurulus.

DINORNITHIDÆ.

Anomalornis.
Megalapteryx.
Mesopteryx.
Moa.
Moria.
Pachyornis.
Palvo-casuarius.
Tylopteryx.

DREPANIDÆ.

Chlorodrepanis.
Chrysomitridops.
Ciridops.
Dialis.
Drepanorhamphus.
Drepanorhynchus.
Palmeria.
Pseudonestor.
Rhodacanthis.
Rothschildia.
Telespyza.
Viridonia.

DROMORNITHIDÆ.

Genyornis.

ENALIORNITHIDÆ.

Enaliornis.
Palvocolumbus.
Pelagornis.

FALCONIDÆ.

Alectromorphnus.
Anopaia.
Asthenopterus.
Brewsteria.
Cymindus.
Elasas.
Erythrotriorchis.
Euhierax.
Foetopterus.
Gennadas.
Gymnops.
Halinertus.
Lagopterus.
Limnætus.
Necrastur.
Nesierax.
Oronertus.
Palæctus.
Pithecophaga.
Poimæctus.
Spilospyza.
Taphæctus.
Thegornis.
Tolmerus.
Tolmolestes.

FORMICARIIDÆ.

Calobamon.
Formicicapa.
Manikup.
Myrmochanes.
Rhopocichla.
Selateria.
Thamnocharis.

FRINGILLIDÆ.

Arremonops.
 Brachyspiza.
 Clibanus.
 Cocornis.
 Compsoospiza.
 Dictæa.
 Drepanorhynchus.
 Eurhinospiza.
 Geospiza.
 Hyphantospiza.
 Incaspiza.
 Lysurus.
 Melanospiza.
 Myospiza.
 Oreospiza.
 Perissospiza.
 Phæospiza.
 Plagiospiza.
 Poospizopsis.
 Pselliophorus.
 Pseudostruthus.
 Rhodothraupis.
 Rhynchospiza.
 Rubricapilla.
 Schoeniclus.
 Serinopsis.
 Spermophilopsis.
 Stelgidostomus.

FURNARIIDÆ.

Aphrastura.
 Certhiaxis.
 Ipnodonus.
 Thryolegus.

GALBULIDÆ.

Hylaërops.

GASTORNITHIDÆ.

Remiornis.

GRUIDÆ.

Geranopsis.
 Linnogeranus.
Palvogrus.
 Pseudogeranus.
 Sarcogeranus.

HELIORNITHIDÆ.

Heliopais.

HESPERORNITHIDÆ.

Coniornis.

HIRUNDINIDÆ.

Antrochelidon.
 Chelidonaria.
 Herophilus.

HIRUNDINIDÆ—Continued.

Lecythoplastes.
 Riparia.

IBIDIDÆ.

Paruopio.

ICTERIDÆ.

Cirulus.
 Hylike.
 Ptiloxena.
 Zarhynchus.

INDICATORIDÆ.

Melignomon.
 Pseudofringilla.
 Pseudospiza.

JACANIDÆ.

Actophilus.
 Asarcia.
 Phyllopezus.

LANIIDÆ.

Abbottomis.
 Antichromus.
 Bocagia.
 Cosmophoneus.
 Eulacestoma.

LARIDÆ.

Chema.
 Dipsaleon.
 Einalia.
 Lambruschinia.
 Melanolarus.
 Melanosterna.
 Micranous.
 Potamocheilidon.
Pseudosterna.

LORIIDÆ.

Hypocharmosyna.

MEGALOPODIDÆ.

Chosornis.
 Eulipoa.

MELIPHAGIDÆ.

Cleptornis.
 Entomyzon.
 Leptomyza.
 Myza.
 Neneba.
 Ptiloprora.
 Sarganura.

MICROPODIDÆ.

Aëronantes.
 Claudia.
 Pelasgia.

MIMIDÆ.

Allenia.
Bulcites.
Mimetes.
Nesomimus.

MOMOTIDÆ.

Aspatha.
Electron.
Prionornis.

MUSCICAPIDÆ.

Bathmisyrra.
Callaeops.
Dammeria.
Hilarocichla.
Musciparus.
Myiosobus.
Ostiarius.
Pedilorrhynchus.
Pholia.
Stizorhina.

NECTARINIIDÆ.

Rhaphidornis.
Urodrepanis.

CEDICNEMIDÆ.

Milnea.

OTIDIDÆ.

Compsotis.
Heterotetrax.
Heterotis.
Houbaropsis.
Neotis.

PARADISEIDÆ.

Calastrapia.
Drepananax.
Eucorax.
Heteroptilorhis.
Janthothorax.
Lamprothorax.
Loboparadisea.
Macgregoria.
Paryphophorus.
Pteridophora.
Trichoparadisea.

PARAMYTHIIDÆ.

Paramythia.

PARIDÆ.

Anacrites.
Aphelocephala.
Brachyrynchus.
Pardaliparus.
Remiza.
Scæorhynchus.

PELECANIDÆ?

Liptornis.

PERISTERIDÆ.

Alopeccenas.
Calopelia.
Claravis.
Histriophaps.
Homopelia.
Leptopelia.
Micropelia.
Cenopopelia.
Oxypelia.

PHAËTHONTIDÆ.

Prophaethon.

PHALACROCORACIDÆ.

Actiornis.
Argillornis.
Ecmeles.
Enygrotheres.
Gripeus.
Hydrocorax.
Leucocarbo.
Melanocarbo.
Nannopteryx.
Pallasicarbo.

PHASIANIDÆ.

Agriocharis.
Alector.
Arquata.
Colinus.
Compsortyx.
Dactylortyx.
Dendrophila.
Gallina.
Houppifer.
Lochmophasis.
Mystoxydes.
Palaeocryptonyx.
Plectroperdix.
Rhynchortyx.
Tuoperdi.

PHENICOPTERIDÆ.

Elornis.

PICIDÆ.

Blacops.
Blax.
Crocomorphus.
Dryocolaptes.
Microstictus.
Nesocites.
Piculus ST.-HILAIRE.
Piculus HODGSON.

PICIDÆ—Continued.

Piculus BREHM.
Sapheopipo.

PIPRIDÆ.

Scotothorus.

PITTIDÆ.

Coracocichla.
Cyanopitta.
Galeripitta.
Insignipitta.
Mellopitta.
Monilipitta.
Ornatipitta.
Pulehripitta.

PLATALEIDÆ.

Ibidopsis.
Mystrorhamphus.
Protibis.

PLOCEIDÆ.

Atalochrous.
Atopornis.
Brachycope.
Clytospiza.
Diatropura.
Drepanoplectes.
Granatina.
Haplopyga.
Heterhyphantes.
Hyperanthus.
Limoneres.
Lobospingus.
Lychnidospiza.
Nesacanthis.
Neshyphantes.
Oreospiza.
Oreostruthus.
Oryzivora.
Othyphantes.
Pachyphantes.
Penthetriopsis.
Stictospiza.
Stizoptera.

PODARGIDÆ.

Cyphorhina.

PRIONOPIDÆ.

Aerocharis.

PROCELLARIIDÆ.

Halobates.

PSITTACIDÆ.

Araclanga.
Bolbopsittacus.
Conuropsis.

PSITTACIDÆ—Continued.

Dichrognathus.
Jaco.
Leptosittaca.
Necropsittacus.
Neophema.
Pionites.
Porphyreicephalus.
Spathopterus.

PTEROCLIDÆ.

Pterygocys.

PTEROPTOCHIDÆ.

Eugralla.
Onychornis.
Rhinornis.

PTILONORHYNCHIDÆ.

Cnemophilus.
Loria.
Scenopœetes.
Tectonornis.
Xanthochilamys.

PUFFINIDÆ.

Cymatobolus.
Zalias.

PYCNONOTIDÆ.

Bostrycholophus.
Brachypus.
Centrolophus.
Cerasophila.
Elathea.
Pachycephalixus.
Phœdrus.
Stelgidillas.
Stictognathus.
Xanthixus.

RALLIDÆ.

Amaurolimnas.
Anurolimnas.
Aphanolimnas.
Aramidopsis.
Brachypteryx.
Calamodromus.
Castanolimnas.
Creccoides.
Crecopsis.
Diaphorapteryx.
Donacias.
Donacophilus.
Dryolimnas.
Erythrolimnas.
Galeolimnas.
Jonocicca.
Kittlitzia.

RALLIDÆ—Continued.

Lophophalaris.
 Microtribonyx.
 Nesolimnas.
 Enolimnas.
 Ortygonax.
 Ortygops.
Palvolimnas.
 Pisynolimnas.
 Poliolimnas.
 Porphyriornis.
 Porzanula.
 Sarothrura.
 Stictolimnas.
 Tricholimnas.

RAMPHASTIDÆ.

Dinorhamphus.
 Machlostomus.
 Rhagoborus.
 Ulocomus.

RECURVIROSTRIDÆ.

Timeta.

SCOLOPACIDÆ.

Actia.
 Aegialodes.
 Falcinellus.
 Fedoa.
 Gambetta.
 Mesoscolopax.
 Pseudoglottis.
 Rhynchosimus.

SITTIDÆ.

Daphenositta.

SPHENISCIDÆ.

Palaeospheniscus.
 Paraptenodytes.

STEREORNITHES.

(The genera of this group have been referred to several families, and in view of their unsettled classification they are here arranged under the order Stereornithes. The family name PHORORHACIDÆ Ameghino, 1895, is generally used for most of them, but the name STEREORNITHIDÆ Moreno and Mercerat, 1891, antedates it.)

Ameghinia.
Anisolornis.
Brontornis.
Callornis.
Darwinornis.
Dryornis.
Liornis.

STEREORNITHES—Continued.

Lophiornis.
Mesembriornis.
Opisthodaactylus.
Oweornis.
Palaeociconia.
Patagornis.
Pelceyornis.
Phorusrhaeos.
Physornis.
Pseudolarus.
Psilopterus.
Rostrornis.
Staphylornis.
Stephanornis.
Stereornis.
Titanornis.
Tolmodus.

STRIGIDÆ.

Badiostes.

STURNIDÆ.

Æthiopsar.
 Agropsar.
 Chalcopsar.
 Enmathes.
 Galeopsar.
 Hagiopsar.
 Heteropsar.
 Kittlitzia.
 Laceryzon.
Necropsar.
 Pecuaris.
 Perissornis.
 Poliopsar.
 Spodiopsar.
 Stilbopsar.

SULIDÆ.

Abeltera.

TANAGRIDÆ.

Hemithraupis.
 Heterospingus.
 Mitrospingus.
 Pseudospingus.
 Sporathraupis.

TETRAONIDÆ.

Palvotrix.

THINOCORIDÆ.

Itys.

TIMALIIDÆ.

Allocoptops.
 Alophoixus.
 Analocichla.

TIMALIIDÆ—Continued.

Amaurocichla.
 Amytornis.
 Androphilus.
 Bathmocercus.
 Bleda.
 Bonapartia.
 Bowdleria.
 Cataponera.
 Chlorocharis.
 Cryptillas.
 Diaphorillas.
 Dybowskia.
 Eremiornis.
 Eurillas.
 Gymnocrotaphus.
 Hypocrites.
 Ifrita.
 Ixidia.
 Ixodes.
 Lanioturдинus.
 Lioparus.
 Lophozosterops.
 Marisca.
 Mesolophus.
 Mülleria.
 Nesillas.
 Ophrydomnis.
 Oreoctistes.
 Phacelias.
 Pseudominla.
 Pseudotharrhaleus.
 Rectirostrum.
 Rhabdochlamys.
 Rhopocichla.
 Sittiparus.
 Stasiasticus.
 Thringorhina.
 Trichocichla.
 Zosterornis.

TINAMIDÆ.

Calopezus.

TRERONIDÆ.

Cryptophaps.
 Eurotreron.
 Dendrophassa.
Lithophaps.
 Mezotreron.
 Phassa.
 Pœcilotreron.
 Rhamphotreron.
 Rhombura.
 Terenotreron.
 Zonophaps.

TROCHILIDÆ.

Alcidius.
 Amazilia.
 Arinia.
 Bellona.
 Cyanolesbia.
 Gmelinius.
 Laticanda.
 Lawrenceus.
 Leucuria.
 Lophomyia.
 Mychrorhynchus.
 Neolesbia.
 Psilomycter.
 Stephanoxis.
 Vestipedes.
 Warszewiczia.

TROGLODYTIDÆ.

Elachura.
 Hylorchilus.
 Spiloptera.

TROGONIDÆ.

Archæotrogon.
 Heterotrogon.
 Temnurus.

TURDIDÆ.

Amnicola.
 Emarginata.
 Horizorhinus.
 Lophobasileus.
 Philomela.
 Phoenicurus.
 Psaltria.
 Scyrornis.
 Trochilus.
 Urophlexis.
 Zeledonia.

TURNICIDÆ.

Areortyx.

TYRANNIDÆ.

Deltarhynchus.
 Eribates.
 Horizopus.
 Myiopagis.
 Nesotriccus.
 Pseudomyobius.

VULTURIDÆ.

Capornis.
 Sarcogyps.
 Setogyps.
 Trigonoceps.

XENICIDÆ.

Traversia.

